

INDEX.

[Synonyms and native names are printed in *italics*. A star is added to names which appear to be here used for the first time.]

Abramis, 389, 390.
 urmianus *, *Günther*, 389, 391.
 Abretia affinis, *Gray*, 155.
 Acalephæ, stages of, 301.
 Acanthias, 48, 49, 55.
 vulgaris, 47.
 Acanthochiton, 180.
 Acanthonotosoma, *Boeck*, 75.
 cristatum, *Owen*, 75, 117.
 Acanthotus *cristatus*, *Owen*, 75.
 Acanthopleura spinigera, *Low*, 180.
 Acanthostepheia, *Boeck*, 74.
 Malmgreni, *Goës*, 74, 117.
 Acanthyllis caudacuta, 250.
 collaris, 249.
 Acar aceraæ *, *Melv. & Stand.*, 186 ;
 mentioned, 206.
 divaricata, *Sow.*, 186.
 domingensis, *Lam.*, 186.
 sculptilis, *Reeve*, 186.
 Acari of Lake Urmi, by A. D. Michael,
 407.
 Accipitres, wings of, 247.
 Aceros, *Boeck*, 73.
 phyllonyx, *M. Sars*, 73, 117.
 Acridiidae of Lake Urmi, 417.
 Acridiodes, 417.
 Acronyeta centralis, *Staud.*, 411.
 Actæon solidulus, *Linn.*, 155.
 Actæonidae, 155.
 Actinia, 303, 304.
 equina, mentioned, 275, 297, 298,
 303, 304.
 Actiniaria, 296.
 Actinozoa, 434, 435, 436.
 Adonis vernalis, 26.
 Adopæa lineola, *Ochsenh.*, 411.
 Adula lanigera, *Dkr.*, 184.
 Ægina, *Kröyer*, 80.
 spinossissima, *Stimps.*, 80, 117.

Æpyornis, 251.
 Æquipecten Malvinæ, *Duhois de
 Montpéroux*, 444 ; mentioned, 431,
 452.
 Agaronia nebulosa, *Lam.*, 157.
 Agelenidæ from Corral, 16, 20.
 Aglossa pinguinalis, *Linn.*, 414.
 Agrotis Christophi, *Staud.*, 411.
 ypsilon, *Rott.*, 411.
 Aiptasia annulata, mentioned, 303.
 Air-bladder and its Connection with
 the Auditory Organ in Notopterus
 borneensis, by Prof. T. W. Bridge,
 503-540.
 Alaba pyrrhacme, *Melv. & Stand.*, 170,
 ftnote 171.
 Alburnus, 364.
 Filippii, *Kessler*, 390.
 punctulatus, *Kessler*, 389, 390.
 Alcedinidæ, 234.
 Aleyonaria, filaments of, 296.
 Aletryon, mentioned, 160.
 fretorum *, *Melv. & Standen*,
 159.
 suturalis, *Lam.*, 159.
 Aletryonia Virleti, *Desh.*, 440 ; men-
 tioned, 431, 450.
 Alestes dentex, *Müller & Trosch.*,
 522.
 Hasselquistii, *Cuv. & Val.*, 522.
 Algæ, 472 ; swarmspores of, 478.
 Alibrotus, *Milne-Edw.*, ftnote 70.
 Alicula cylindrica, *Helbling*, 155.
 Allium sibiricum *vel senescens*, 42.
 Alpheus polaris, Sabine, 63.
 Altai Mountains, Zoology and Botany
 of the, by H. J. Elwes, 23-46.
 Altea purpurocincta, *Norm.*, 112.
 Alveopora, 131, 132, 136, 143, 144,
 145, 438.

- Alytes, 456; hyobranchial skeleton of larva, 456.
 obstetricans, mentioned, 459.
 Amathilla, *Spence Bate*, 79.
 homari, *Fabr.*, 79, 117.
 pinguis, *Kröyer*, 79, 117.
 Amaurobius Platei*, *Pickard-Cambridge*, 15, 18.
 Ameira, *Boeck*, 97.
 exigua, *T. Scott*, 97, 118.
 longipes, *Boeck*, 97, 118.
 longiremis, *T. Scott*, 97, 118.
 reflexa, *T. Scott*, 97, 118.
 Amia, 57.
 calva, *Linn.*, ftnote 553.
 Ammonite, Note on a Jurassic, of Lake Urmi, by G. C. Crick, 418.
 Ammopleurops, mentioned, 543.
 Amphibia, Anurous, 555.
 Amphibia and Reptilia of Lake Urmi, by G. A. Boulenger, 378-381.
 Amphiloehus, *Spence Bate*, 71.
 oculatus, *Hansen*, 71, 117.
 Amphioxus, mentioned, 307.
 Amphipoda, 61, 69, 395.
 Amphiscopus continens, *Rosen*, 392.
 Amphithoë bicuspis, *Kröyer*, 74.
 fulvocincta, *M. Sars*, 77.
 læviusculus, *Kröyer*, 78.
 pulchella, *Kröyer*, 74.
 Amphithonotus *Malmgreni*, *Goës*, 74.
 Amphithopsis, *Boeck*, 78.
 glaber, *Boeck*, 75.
 glacialis, *Hansen*, 78, 117.
 Amussiopecten, 443.
 Burdigalensis, *Lam.*, 443.
 Burdigalensis, *Sacco*, 443.
 Amussium pleuronectes, *Linn.*, 183.
 Amymone, *Claus*, 96.
 sphærica, *Claus*, 96, 118.
 Anableps, 555.
 Anadara antiquata, *Linn.*, 186.
 clathrata, *Reeve*, 186.
 Anaitis calophylla, *Hanley*, 196.
 thiara, *Dillwyn*, 196.
 Anaitis plagiata, *Linn.*, 413.
 usgentaria, *Staud.*, 413.
 Anarrhichas, mentioned, 547.
 lupus, *Linn.*, 542.
 Anas boscas, wing of, 243.
 —, var. domestica, 244, 256.
 Anaspides, characters of, 343.
 tasmaniae, *G. M. Thomson*, 342, 344.
Anceus elongatus, *Kröyer*, 66.
 Anemone patens, 26.
 Pulsatilla, 26.
 Angulus philippinarum, *Hanley*, 201.
 procrita*, *Melv. & Stand.*, 201, 206.
 vernalis, *Hanley*, 201.
 Annelida of Lake Urmi, 439.
 Anomalurus, The Position of, as indicated by its Myology, by F. G. Parsons, 317-334.
 Anomiidæ of Torres Straits, 181.
 Anonyx, *Kröyer*, 69.
 Edwardsi, *Kröyer*, 71.
 littoralis, *Kröyer*, 79.
 minutus, *Kröyer*, 69.
 nugax, *Phipps*, 69, 70.
 Anoura Dendyi*, *Lubbock*, 336, 337.
 spinosa*, *Lubbock*, 338, fig. 337.
 Tasmaniae*, *Lubbock*, 335.
 Anseres, wings of, 247.
 Antaria mediterranea, *Claus*, 115.
 Anthea cereus, mentioned, 278.
 Antilope sp., 377.
 Antilopidæ, Pliocene, of Maragha, 377.
 Anura, 454.
 Aglossa, 454-459.
 Phaneroglossa, 454-459.
 Apherusa Jurinei, mentioned, 79.
 Aplustridæ of Torres Straits, 155.
 Aplustrum amplustre, *Linn.*, 155.
 Apollon pusillum, *Brod.*, 164.
 Apterona crenulella, *Bruand*, 413; mentioned, 367, 416.
 Apteryx, 251.
 Aquila chrysaëtus, *Linn.*, mentioned, 361.
 Aquilegia glandulosa, 42.
 Aquillus (Simpulum) gemmatus, *Reeve*, 163.
 (—) pileatus, *Linn.*, 163.
 "Aqintocubitalism," Some Facts concerning the so-called, in the Bird's Wing, by W. P. Pycraft, 236-256.
 Arachnactis, mentioned, 297, 298, 300, 307; larva of, 310.
 Arachnida and Chilopoda of Lake Urmi, by R. I. Pocock, 399-406.
 Aranea Bruennichi, *Scop.*, 400.
 extensa, *Linn.*, 400.
 13-guttata, *Rossi*, 400.
 Araneæ of Lake Urmi, 400.
 Arapaima, 524.
 Arca navicularis, *Brug.*, 185.
 zebra, *Swains.*, 185.
 zebuensis, *Reeve*, 185.
 Arcidæ of Torres Straits, 185.
 Arcinella spinosa, *Brod.*, 193.
 Arcopagia pinguis, *Hanley*, 201.
 Savignyi, *A. Ad.*, 201.
 tessellata, *Desh.*, 201.
 Arctidæ of Lake Urmi, 411.
 Argas persicus, *Fischer*, 407; mentioned, 366.
 reflexus, *Fabr.*, 407.
 Argiope, *Sav.*, 400.
 Bruennichi, *Scop.*, 409.
 Argiopidæ of Juan Fernandez, 16, 18.

- Argynnis, 39.
 freya, 43.
 frigga, 43.
 Kefersteini, 43.
 maia, *Cramer*, 408.
- Ariadna maxima (*Nic.*), 15, 17.
- Aricia annulus, *Linn.*, 164.
 arabica, *Linn.*, 164.
- Arpacticus *nobilis*, *Baird*, 111.
- Artemia, 398; mentioned, 357, 359.
 fertilis, mentioned, 398.
 gracilis, mentioned, 398.
 monica, mentioned, 398.
 Müllhausenii, *Schmankewitsch*,
 mentioned, 359, 396, 398.
 salina, *Leach*, mentioned, 356, 359,
 395, 397, 398.
 urmiana *, *R. T. Günther*, 395;
 mentioned, 356, 359, 396, 398.
 utahensis, mentioned, 398.
- Artiodactyla, Pliocene, of Maragha, 377.
- Asaphis, mentioned, 198.
 coccinea, *Mart.*, mentioned, 198.
 deflorata, *Linn.*, 198.
 dichotoma, *Anton*, mentioned, 198.
- Ascomyzontidæ, 113.
- Asellus, 366, 395.
- Asio accipitrinus, 256.
- Astacus *homari*, *Fabr.*, 79.
- Astoma, 407.
 gryllaria, *Le Baron*, 407, 417.
- Astræa, 128.
 Defrancei, *Milne-Edw.*, 434, 435.
 Ellisiana, *Defr.*, 434, 435.
 grandistella, *Abich*, 435.
 Guettardi, *Defr.*, 434, 435.
- Astræopora, ftnote 130.
- Astragalus, 42.
- Astraliu petrosu, *Mart.*, 175.
- Astrangia princeps, *Reuss*, 436.
- Astrea argus, *Lam.*, 425.
 Defrancei, *Milne-Edw.*, mentioned,
 425, 426.
 grandistella, *Abich*, mentioned, 429.
 Guettardi, *Defr.*, mentioned, 425.
 irregularis, *Defr.*, ftnote 428.
 turonensis, *Michelin*, ftnote 427.
- Atilia galaxias, *Reeve*, 161.
- Atrichia, 248.
- Atrina nigra, *Chemn.*, 184.
- Atylus, *Leach*, 78.
 carinatus, *Fabr.*, 78, 117.
- Atys debilis, *Pease*, 155.
 (Alicula) cylindrica, *Helbling*, 155.
- Auditory Organ in Notopterus borne-
 ensis (Prof. T. W. Bridge), 503-
 540.
- Augiades sylvanus?, *Esper*, 411.
- Aulacomya hirsutus, *Lam.*, 184.
- Aulactinia, mentioned, 298, 308, 309;
 larvæ, 276.
- Aulactinia stelloides, *McMurrich*, men-
 tioned, 269, 272.
- Aulica Ruckeri, *Crosse*, 157.
 rutila, *Brod.*, 157.
 Sophiae, *Gray*, 157.
- Aurelia, mentioned, 304.
- Australasian Collembola, On some, by
 the Right Hon. Sir John Lubbock,
 334-338.
- Aves, Eutaxy and Diastataxy in Aves
 generally, 233.
- Avicula ala-corvi, *Chemn.*, 183.
 aquatilis, *Reeve*, 183.
 crocea, *Chemn.*, 183.
 malleoides, *Reeve*, 183.
- Aviculidæ, 183.
- Azar coarctatus, *Gmel.*, 198.
- Balanidæ, 116.
- Balanoglossus, ftnote 257.
- Balanophylla, mentioned, 304,
 308.
 regia, mentioned, 310.
- Balanus, *Lister*, 116.
 crenatus, *Bruquière*, 116, 118.
 porcatus, *Da Costa*, 116, 118.
- Barbatia decussata, *Sow.*, 185.
 fusca, *Brug.*, 185.
 imbricata, *Brug.*, 185.
 lima, *Reeve*, 185.
 tenella, *Reeve*, 185.
 trapezina, *Lam.*, 185.
 volucris, *Reeve*, 185.
 (Acar) aeræa *, *Melv. & Stand.*,
 186, 206.
 (—) divaricata, *Sow.*, 186.
 (—) domingensis, *Lam.*, 186.
 (—) sculptilis, *Reeve*, 186.
 (Venusta) lactea, *Linn.*, 185.
- Barbus, 386.
 caucasicus, *Kessler*, 385; men-
 tioned, 364, 386.
 ciscaucasicus, 386.
 Goktschaicus, mentioned, 386.
 miliaris, *de Filippi*, 386.
- Bathymedon, *G. O. Sars*, 73.
 obtusifrons, *Hansen*, 73, 117.
- Bathynella, On the Characters of the
 Crustacean Genus, by W. T. Cal-
 man, 338-344.
 natans, *Vejdovsky*, 338, 344.
- Bathyosopus poecilus *read* Bythosopus
 poecilus, *Herr.-Schäff.*, 367, 416.
- Batrachia, 380.
- Bdellostoma, 551, 552.
- Beaver, gastric gland in, 1.
- Belemnites acuarius, 438.
 calloviensis, *Oppel*, 438.
 persicus, *Weithofer*, 438.
 sp., 437, 438.

- Bernard, Henry M., On the Structure of Porites, with Preliminary Notes on the Soft Parts, 487-502.
 —, Recent Poritidæ, and the Position of the Family in the Madreporarian System, 127-149.
 Bird's Wing, Aquintocubitalism in the (W. P. Pycraft), 236-256.
 — — —, "Quintocubitalism" in the (P. Chalmers Mitchell), 210-236.
 Bititium, mentioned, 168.
 torresiense *, *Melv. & Stand.*, 168, 206.
 xanthum, *Watson*, mentioned, 168.
 Bivonia Quoyi, *H. & A. Ad.*, 170.
 Blenniidae, 542.
 Bolivaria brachyptera, *Pall.*, 417.
 Bombinator, 46; bronchial cartilage of, 458, 461.
 Botany and Zoology of the Altai Mountains, by H. J. Elwes, 23-46.
 Boulenger, G. A., Reptilia and Amphibia of Lake Urmi, 378-381.
 Box, 528.
 salpa, *Cuv. & Val.*, 525, 528.
 vulgaris, *Cuv. & Val.*, 523.
 Brachyura, 394.
 Bradya, *Boeck*, 94.
 minor, *T. & A. Scott*, 94, 95, 117.
 typica, *Boeck*, 94, 117.
 Branchipus, mentioned, 359.
 Bridge, Prof. T. W., The Air-bladder and its Connection with the Auditory Organ in Notopterus borneensis, 503-540.
 Bryophila perla, *Schifferrmüller*, 412.
 Bryozoa, 434, 435.
 Buccinidae, 159.
 Bucerotes, 248.
 Bufo viridis, *Laur.*, 381.
 "Bulbus ventriculi," 10.
 Buliminus (Amphiscopus) continens, *Rosen*, 392.
 (Chondrulus) Bayerni, *Parr.*, 392.
 (—) didymodus, *Böttger*, 392.
 (—) tetrodon, *Mortillet*, 392.
 (—) tridens, *Müller*, 392.
 (—) —, var. Bayerni, *Parr.*, 392.
 (—) —, var. diffusus, *Mouss.*, 392.
 (—) —, var. major, *Kryn.*, 392.
 (Zebrinus) Hohenackeri, *Krynicky*, 392.
 Bulla Adamsi, *Menke*, 155.
 punctulata, *A. Ad.*, 155.
 Bullidæ, 155.
 Bunodes gemmacea, mentioned, 276.
 verrucosa, mentioned, 276.
 Burr, Malcolm, Orthoptera of Lake Urmi, 416-418.
 Buthus, *Leach*, 404.
 afghanus, *Pocock*, 404, 405.
 caucasicus, *Fischer*, 404; mentioned, 406.
 caucasicus, *Nord.* = parthorum, *Pocock*, 406.
 —, subsp. persicus *, *Pocock*, 404; mentioned, 367.
 eupeus, *C. Koch*, 405.
 parthorum, *Pocock*, 405, 406.
 persicus, *Pocock*, 404, 405.
 thersites, *C. Koch*, 405.
 vesiculatus *, *Pocock*, 405; mentioned, 406.
 Butler, A. G., Insecta (Lepidoptera Rhopalocera) of Lake Urmi, 408-411.
 Bythoecythere flexuosa, G. S. Brady, 89.
 Bythoscopus pœcilus, *Herr.-Schäff.*, 367, 416.
 Calanidæ, 90.
 Calanus, *Leach*, 90.
 finmarchicus, *Gunner*, 90; mentioned, 91, 117.
 hyperboreus, *Krøyer*, 90, 117.
 longus, *Lubbock*, 91.
 Calliopius, *Liljeb.*, 78.
 lævisculus, *Krøyer*, 78, 117.
 Calliostoma fragum, *Phil.*, mentioned, 177.
 speciosum, *A. Ad.*, 177.
 (Eutrochus) septenarium *, *Melv. & Stand.*, 176, 206.
 Calman, W. T., On the Characters of the Crustacean Genus Bathynella, 338-344.
 Calenas, 226.
 Caloptenus italicus, *Linn.*, 407, 417; infested with Astoma gryllaria, 417.
 Calyptræa equestris, *Linn.*, var.?, 171.
 tortilis, *Reeve*, 171.
 Canarium dentatus, *Linn.*, 165.
 Cancer boreas, Phipps, 64.
 gammarus galba, *Montagu*, 69.
 locusta, *Linn.*, 79.
 nugax, Phipps, 69.
 oculatus, O. Fabr., 64.
 Candona, *Baird*, 83.
 candida, 83.
 —, var. claviformis, 83.
 Harmsworthi *, *Thos. Scott*, 83, 117.
 rostrata, mentioned, 82, 83.

- Cantharidus torresi, *E. A. Smith*, 175.
 Cantharus mollis, *Gould*, 159.
 Canthocamptus, *Westw.*, 100; mentioned, 101, 339.
 parvus, *T. & A. Scott*, 100, 118.
 Stromii, *Baird*, 106.
 Capercaillie, 38.
 Capoëta, mentioned, 349, 382, 385.
 Gotschaica, ftnote 385.
 gracilis, *Keyserl.*, 364, 383, 385.
 Sevangi, *De Filippi*, 383, 385.
 Steindachneri, *Kessler*, 384.
 Capra sibirica, *Pallas*, 37.
 Caprella, *Lam.*, 81.
 dubia, *Hansen*, 81, 117.
 microtuberculata, *G. O. Sars*, 81, 117.
 —, var. spinigera, 81.
 septentrionalis, *Krøyer*, 81, 117.
 Caprellidea, 80.
 Capreolus pygargus, *Pallas*, 37.
 Caprimulgi, 248.
 Capulidæ, 171.
 Carangidæ, 522.
 Carcharias laticauda, 47.
 "Cardiadrüsen region," 2.
 Cardiidæ, 190.
 Cardita cardioides, *Reeve*, 188.
 marmorea, *Reeve*, 188.
 mutabilis, *d'Archiac & Haime*, mentioned, 448.
 sp., 431, 448, 451.
 Carditidæ, 188.
 Cardium, 446.
 arenicolum, *Reeve*, mentioned, 192.
 maculosum, *Wood*, mentioned, 192.
 mauritanium, *Desh.*, mentioned, 192.
 obovale, *Sow.*, mentioned, 192.
 sp., 446, 451.
 tenuicostatum, *Lam.*, 190.
 (Lævicardium) Bechei, *Ad. & Reeve*, 192.
 (—) biradiatum, *Brug.*, 192.
 (—) lyratum, *Sow.*, 192.
 (Papyridea) papyraceum, *Chemn.*, 192.
 (Trachycardium) dianthinum*, *Melv. & Stand.*, 190, 206.
 (—) elongatum, *Brug.*, 190.
 (—) lacunosum, *Reeve*, 190.
 (—) maculosum, *Wood*, 191.
 (—) rubicundum, *Reeve*, 191.
 (—) rugosum, *Lam.*, 191.
 (—) serricostatum*, *Melv. & Stand.*, 191, 206.
 (—) transcendens*, *Melv. & Stand.*, 191, 206.
 (—) variegatum, *Sow.*, 192.
 Cariaria, 253, 254.
 Carnivora, 377.
 Carpus, Note on the, of the new Aglossal Toad, *Hymenochirus Boettgeri*, by *W. G. Ridewood*, 461-463.
Caryatis, *Römer*, mentioned, 194.
 regularis, *Smith*, 194.
 Caryophyllia cyathus, mentioned, 278, 297, 298, 317.
 Casmaria vibex, *Linn.*, 164.
 Cassididæ, 164.
 Cassis sp., 432, 450, 452.
 subharpæformis, *d'Archiac & Haime*, mentioned, 450.
 (Casmaria) vibex, *Linn.*, 164.
 (Semicassis) torquata, *Reeve*, 164.
 Cassowary, wing of, 251.
 Castellaria modesta, *Reeve*, 158.
 Castor, gastric gland in, 2.
 Cateclysme bilineata, *Linn.*, 413.
 Catocala elocata, *Esper*, 412.
 neonympha, *Esper*, 412.
 Caudal Diplospondyly of Sharks, some observations on the, by *W. G. Ridewood*, 46-59.
 Cavolinia longirostris, *Lesson*, 154.
 Cavoliniidæ, 154.
 Cellastrea irregularis, *de Blainv.*, ftnote 428.
 Cellepora gracilis, *Münst.*, 434, 435.
 Centropagidæ, 91.
 Centrophorus, 49.
 Cephalodiscus dodecalophus, *McIntosh*, on the Discovery and Development of Rhabdite-"cells" in, by *F. J. Cole*, 256-268.
 Cephalopoda, 438.
 Ceratodus, mentioned, 550.
 Forsteri, 541, ftnote 553.
 Cerebratulus, 266.
 Cerianthus, mentioned, 303, 304.
 Cериopora anomala, *Abich*, mentioned, 434, 435.
 palmata, *D'Orb.*, mentioned, 434, 435.
 Cerithiidæ, 166.
 Cerithium asper, *Linn.*, mentioned, 167.
 citrinum, *Sow.*, 167.
 echinatum, *Lam.*, 167.
 morus, *Lam.*, 167.
 novæ-hiberniæ, *A. Ad.*, 167.
 petrosium, *Wood*, 167.
 pinguis, *A. Ad.*, mentioned, 168.
 piperitum, *Sow.*, 167.
 salebrosum, *Sow.*, 167.
 tuberculatum, *Linn.*, mentioned, 167.
 variegatum, *Quoy*, 167.
 zebrum, *Kiener*, 167.

- Cerithium* (*Colina*) *contractum*, *Sow.*, 168.
 (—) *tæniatum*, *Sow.*, 168.
 (*Lampania*) *zonale*, *Brug.*, 168.
 (*Vertagus*) *aluco*, *Linn.*, 167.
 (—) *lineatum*, *Lam.*, 167.
 (—) *pulchrum*, *A. Ad.*, 163.
 (—) *Sowerbyi*, *Kiener*, 163.
 (—) *vertagus*, *Linn.*, 168.
- Cervidæ*, 29.
Cervus, 29.
asiaticus, *Severtzoff*, 36.
canadensis asiaticus, *Lydekker*, 33, 36.
 ———, var. *Luehdorfi*, *Bolau*, 37.
 ———, var. *sibirica*, *Severtzoff*, 37.
 ———, var. *songarica*, *Severtzoff*, 36.
canadensis Luehdorfi, *Lydekker*, 33, 37.
elaphus, 29, 31, 34.
elaphus, var., *Radde*, 37.
eustephanus, *Blanford*, 29, 32, 33, 36.
isubra, *Noack*, 37.
Luehdorfi, *Bolau*, 37.
maral, 29, 33.
 ——— *sibirica*, *Severtzoff*, 33.
 ——— *songarica*, 33.
- Ceryle*, 248.
aleyon, 249.
americana, 250.
maxima, 249.
rudis, 249.
torquata, 249.
- Cestracion*, 49.
Philippi, 47.
- Chama divaricata*, *Reeve*, 193.
fibula, *Reeve*, 193.
fimbriata, *Reeve*, 193.
pellis-phocæ, *Reeve*, 193.
pulchella, *Reeve*, 193.
reflexa, *Reeve*, 193.
 (*Arcinella*) *spinosa*, *Brod.*, 193.
- Chamidæ*, 193.
- Characinidæ*, 526.
- Charcharodus altheæ*, *Hübner*, 411.
- Chelyconus radiatus*, *Gmel.*, 156.
- Chicoreus adustus*, *Lam.*, 161.
 ———, var. *fuscus*, *Dkr.*, 161.
axicornis, *Lam.*, 161.
capucinus, *Lam.*, 161.
cervicornis, *Lam.*, 162.
ramosus, *Linn.*, 162.
- Chilopoda* and *Arachnida* of Lake Urmi, by R. I. Pocock, 399-406.
- Chione* (*Omphalocladrum*) *Chemnitzii*, *Hanley*, 195.
 (—) *costellifera*, *Ad.*, 195.
- Chione* (*Omphalocladrum*) *embri-thes**, *Melv. & Stand.*, 195, 206.
 (—) *Lamarckii*, *Gray*, 196.
 (—) *Listeri*, *Gray*, 196.
 (—) *marica*, *Linn.*, 196.
 (—) *subnodulosa*, *Hanley*, 196.
 (—) *toreuma*, *Gould*, 196.
- Chiroleptes australis*, 555.
- Chironomus oceanicus*, 416.
 sp., 416.
- Chiton pictus*, *Reeve*, 180.
- Chitonidæ*, 180.
- Chlamys*, 431.
cuneatus, *Reeve*, 183.
 sp., 445, 451.
varia, *Linn.*, 446.
 (*Equipecten*) *Malvinæ*, 431, 452.
- Chondrulus Bayerni*, *Parr.*, 392.
didymodus, *Böttger*, 392.
tetrodon, *Mortillet*, 392.
tridens, *Müller*, 392.
 ———, var. *Bayerni*, *Parr.*, 392.
 ———, var. *diffusus*, *Mouss.*, 392.
 ———, var. *major*, *Kryn.*, 392.
- Chrysame peregra*, *Reeve*, 157.
rubritincta, *Reeve*, 158.
- Chrysopa perla*, larva of, 414.
- Chrysophanus thersamon*, 410.
 ———, var. *omphale*, *Klug*, 410.
thetis, *Klug*, 410.
- Chrysostoma paradoxum*, *Born*, 175.
- Chytridium*, zoospores of, 478.
- Cingulina spina*, *Cr. & Fischer*, 173.
- Circe castrensis*, *Linn.*, 194.
gibbia, *Lam.*, mentioned, 194.
pectinata, *Linn.*, 194.
rivularis, *Born*, 194.
- Cirripedia*, 60, 61, 116.
- Citharoseelus Kochii*, *Pocock*, 15, 16.
- Cladocopa*, 61, 89.
- Clanculus atropurpureus*, *Gould*, 175.
unedo, *A. Ad.*, 175.
- Clausia elongata*, *Boeck*, 91.
- Cleippides*, *Boeck*, 78.
quadricuspis, *Heller*, 78, 117.
- Clemmys caspia*, mentioned, 363.
leprosa, mentioned, 363.
- Cletodes*, *Brady*, 104.
longicaudata, *Brady & Roberts.*, 104, 118.
similis, *T. Scott*, 104, 118.
tenuipes, *T. Scott*, 104, 118.
- Clisiocampa castrensis*, *Linn.*, 413.
- Clubionidæ*, 15, 17.
- Clupea*, 531, 534, 536.
alosa, *Linn.*, 526; mentioned, 519, 521.
finta, *Cuv.*, 526.
harengus, *Weber*, 526; mentioned, 519, 521, 530.

- Clupea pilchardus*, *Walb.*, 526.
sprattus, *Linn.*, 526.
 Clupeidæ, 526.
Clypeaster, 419, 424, 433.
 altus, *Philippi*, footnote 421, 422.
 altus, *Lam.*, 422, 434, 435.
 —, var. *turritus*, *Philippi*, 422, 435.
 crassicostratus, *Agass.*, 424, 434.
 diversicostatus, *Abich*, 435.
 faloriensis, *Dunc. & Sladen*, mentioned, 424.
 gibbosus, *Risso*, mentioned, 421, 422.
 Guentheri *, *Gregory*, 420; mentioned, 421, 422, 430.
 imperialis, *Michelin*, 419; mentioned, 420, 430.
 Martini, *Desmoulins*, 422.
 melitensis, *Mich.*, mentioned, 422, 423.
 Michelotti, *Ag.*, mentioned, 422, 423.
 olisiponensis, *Michelin*, 419, 420.
 Scillæ, *Desm.*, 436.
 Scillæ, *Philippi*, footnote 421.
 suboblongus, *Pomel*, mentioned, 422.
 turritus, *Abich*, 421.
 turritus, *Philippi*, 421, 422, 436.
Cobitis persa, *Heckel*, 391.
Coccyges, 248.
Codakia exasperata, *Reeve*, 200.
 fibula, *Reeve*, 200.
 interrupta, *Lam.*, 200.
 Cœlenterata, 301.
 Cœlotes, 21.
Cœnonympha pamphilus, 408.
Cœnopsammia, 307.
Colacium calvium, *Stein*, 467.
 Cole, E. J., On the Discovery and Development of Rhabdite-“cells” in *Cephalodiscus dodecalophus*, *McIntosh*, 256-268.
Colias croceus, 410.
 edusa, *Fabr.*, 410.
 electra, 410.
 hyale, 410.
 mongola, 43.
 Colii, 248.
Colina contractum, *Sow.*, 168.
 pinguis, *Ad.*, 168.
 tæniatum, *Sow.*, 168.
Collembola, On some Australian, by the Right Hon. Sir John Lubbock, 334-338.
Columba, 216, 227, 228, 252.
 domestica, 256; wing of, 243.
 livia, 227.
Columbæ, 233, 234, 248.
Columbella varians, *Sow.*, 160.
 (*Atila*) *galaxias*, *Reeve*, 161.
 (*Conoidea*) *flava*, *Brug.*, 161.
 (*Mitrella*) *semiconvexa*, *Lam.*, 161.
 (*Pygmæa*) *fulgurans*, *Lam.*, 160.
 (—) —, *a. eufulgurans*, 160.
 (—) —, *β. punctata*, *Lam.*, 160.
 (—) *Tyleri*, *Gray*, 161.
 (—) *versicolor*, *Sow.*, 161.
 Columbelloidæ, 160.
Columbula, 213, 248, 252, 253.
 livia, 219, 222.
 picui, mentioned, 212, 213, 215, 222, 236.
 Conidæ, 156.
Conoclypeus, mentioned, 422.
Conoidea flava, *Brug.*, 161.
Conomurex luhuanus, *Linn.*, 166.
Conus marmoreus, *Linn.*, 156.
 sp., 431, 439.
 (*Chelyconus*) *radiatus*, *Gmel.*, 156.
 (*Coronaxis*) *minimus*, *Linn.*, 156.
 (*Dendroconus*) *figulinus*, *Linn.*, 156.
 (*Hermes*) *nussatella*, *Linn.*, 156.
 (*Lithoconus*) *litteratus*, *Linn.*, 156.
 (—) —, var. *millepunctatus*, *Lam.*, 156.
 (*Nubecula*) *striatus*, *Linn.*, 156.
 (*Rhizoconus*) *mustelinus*, *Hwass*, 156.
 (—) *vitulinus*, *Hwass*, 156.
 (*Textile*) *canonicus*, *Hwass*, 156.
 Copepoda, 61, 90, 395.
 Coraciæ, 248.
Corbis? *Aglauræ*, *Brong.*, 446.
Corbula crassa, *Hinds*, 199.
 Macgillivrayi, *Smith*, 199.
 taheitensis, *Lam.*, 199.
 truncata, *Hinds*, 199.
 Cormorant, Note on the External Nares of the, by W. P. Pyecraft, 207-209.
Coronaxis minimus, *Linn.*, 156.
Corvus, 227, 248.
Corydalis, 42.
Corynactis, mentioned, 303.
Coryne, 258.
Coscinaræa, *Milne-Edw. & Haime*, 144; mentioned, 143.
 Bottæ, *Milne-Edw. & Haime*, 145.
 meandrina, *Klunz.*, 145.
 monile, *Forsk.*, 145.
Cosmoporites, *Duchass. & Michel.*, 143, 147, 149.
 Cottidæ, 524.
 Coua, 251.
 Cranes, 248, 251.
Craspedia marginepunctata, *Goeze*, 413.

- Crassatella ziczac*, *Reeve*, 188.
 Crassatellidæ, 188.
 Crax, 248.
Crenatula flammea, *Reeve*, 184.
Cricetus frumentarius, 318.
 Crick, G. C., Note on a Jurassic
 Ammonite of Lake Urmi, 418
Criotherium argalioides, *Maj.*, 377.
Crista gibbia, *Lam.*, mentioned, 194.
pectinata, *Linn.*, 194.
Cronia amygdala, *Kiener*, 163.
 Crotophaga, 251.
 Crustacea of Lake Urmi, by R. T.
 Günther, 394-398.
 —, Report on the Marine and Fresh-
 water, from Franz-Josef Land, col-
 lected by Mr. William S. Bruce of
 the Jackson-Harmsworth Expedi-
 tion, by Thos. Scott, 60-126.
Cryptoplax oculatus, *Q. & G.*, 181.
striatus, *Lam.*, 181.
 Cryptopterus, 523.
miconema, *Blkr.*, 522.
micropogon, *Blkr.*, 522.
Ctenocardium fornicatum, *Sow.*, 193.
fragum, *Linn.*, 193.
imbricatum, *Sow.*, 193.
Ctenoides fragilis, *Chemn.*, 182.
tenera, *Chemn.*, 182.
 Cuckoo, 251.
 Cuculidæ, 233.
Cucullæa concamerata, *Chemn.*, 188.
Cuma Rathkii, *Kröyer*, 65.
 Cumacea, 61, 65.
Cupido admetus, var. *ripartii*, *Freyer*,
 409.
aedon, *Christoph.*, 409.
agestis, *Schiffermüller*, 409.
bellargus, var. *oceanus*, *Bergstr.*,
 409.
dama, var. ?, *Staud.*, 409.
damon, *Schiffermüller*, 409.
endymion, *Schiffermüller*, 409.
icarus, *Rott.*, 409.
Cuspidaria latisulcata, *Ten.-Woods*,
 202.
 Cuspidariidæ, 202.
Cyathomorpha conglobata, *Reuss*, 436.
gregaria, *Catullo*, 436.
Cyclocypris, *Brady & Norm.*, 82.
globosa, *G. O. Sars*, 82, 117.
Cyclopicera nigripes, *Brady & Roberts.*,
 113.
 Cyclopidæ, 92.
Cyclopina, *Claus*, 93.
gracilis, *Claus*, 93, 117.
Cyclops, *O. F. Müller*, 93; eyes of,
 477.
bisetosus, *Rehberg*, 94.
Brucei *, *Thos. Scott*, 93; men-
 tioned, 94, 117.
Cyclops chelififer, *O. F. Müller*, 111.
furcatus, *Baird*, 112.
Cyclostrema, *Marryat*, mentioned, 178.
 Cyclostrematidæ, 177.
Cylichna arachis, *Q. & G.*, 155.
Cynodonta cornigera, *Lam.*, 158.
Cynoglossus semilævis, *Günther*, On
 the Presence of Nasal Secretory Sacs
 and a Naso-pharyngeal Communi-
 cation in Teleostei, with especial
 reference to, by H. M. Kyle, 541-
 555.
 Cypræa, 150.
Comptoni, mentioned, 152.
felina, *Gray*, 164.
helvola, *Linn.*, mentioned, 151.
(Arctica) annulus, *Linn.*, 164.
 (—) *arabica*, *Linn.*, 164.
(Luponia) erroneus, *Linn.*, 164.
 (—) *flaveola*, *Linn.*, 164.
 (—) *lynx*, *Linn.*, 164.
 (—) *ziczac*, *Linn.*, 164.
 Cypræidæ, 164.
Cypria lacustris, *Lilljeb.*, 82.
Cypridina brenda, *Baird*, 89.
 Cyprinidæ, 193, 526.
Cyprinodon, 382.
Cypris crassa, *O. F. Müller*, 82.
globosa, *G. O. Sars*, 82.
 Cypselidæ, 234, 250.
Cythara chionea *, *Melville & Standen*,
 156.
gracilis, *Reeve*, 156.
pulchella, *Reeve*, 156.
 Cythere, *Müller*, 84.
cluthæ, *Brady, Crosskey, & Robert-*
son, 84, 117.
contorta, *Norm.*, 88.
costata, *G. S. Brady*, 85, 117.
declivis, *Norm.*, 86.
dunelmensis, *Norm.*, 85, 117.
emarginata, *G. O. Sars*, 85, 117.
globulifera, *G. S. Brady*, 84, 117.
latissima, *Norm.*, 87.
limicola, *Norm.*, 84, 117.
marginata, *Norm.*, 84, 117.
mirabilis, *G. S. Brady*, 85, 117.
septentrionalis, *G. S. Brady*, 85,
 117.
tuberculata, *G. O. Sars*, 85, 117.
variabilis, *Baird*, 88.
Cytherea incrassata, *Deshayes*, 447.
Cythereis dunelmensis, *Norm.*, 85.
emarginata, *G. O. Sars*, 85.
tuberculata, *G. O. Sars*, 85.
 Cytheridea, *Bosquet*, 86.
papillosa, *Bosquet*, 86, 117.
punctillata, *G. S. Brady*, 86,
 117.
Sorbyana, *Jones*, 86, 117.
Cytheropteron, *G. O. Sars*, 87.

- Cytheropteron angulatum, *Brady & Robertson*, 88, 117.
 latissimum, *Norm.*, 87, 117.
 punctatum, *G. S. Brady*, 87; mentioned, 88, 117.
 pyramidale, *G. S. Brady*, 87, 117.
 subcircinatum, *G. O. Sars*, 87; mentioned, 88, 117.
 Cytherura, *G. O. Sars*, 86.
 clathrata, *G. O. Sars*, 87, 117.
 fulva, *Brady & Robertson*, 87, 117.
 undata, *G. O. Sars*, 86, 117.
 Dacelo, 249.
 gigas, 249.
 Dactylopus, *Claus*, 101, 104.
 coronatus, *T. Scott*, 105, 118.
 longirostris, *Claus*, mentioned, 105, 118.
 minutus, *Claus*, mentioned, 101.
 Strömii, *Baird*, 105, 118.
 —, var. arcticus *, *T. Scott*, 106.
 tenuiremis, *Brady & Robertson*, 105; mentioned, 106, 118.
 tisboides, *Claus*, 104, 118.
 Dajus, *Kröyer*, 68.
 mysidis, *Kröyer*, 65, 68, 116.
 Daphnia sp., 395.
 Daucus Carota, carotin in roots of, 471.
 Decapoda, 394.
 Decticiæ, 418.
 Decticus, 371.
 albifrons, *Fabr.*, 418.
 assimilis, *Fieb.*, 416, 418.
 Deiopeia pulchella, *Linn.*, 411.
 Delavalia, *Brady*, 98.
 arctica *, *T. Scott*, 98, 118.
 Giesbrechti, *T. Scott*, mentioned, 98.
 mimica, *T. Scott*, 98, 118.
 palustris, *Brady*, mentioned, 98, 99.
 réflexa, *Brady & Roberts.*, 98, 118.
 robusta, *Brady & Roberts.*, 98; mentioned, 99, 118.
 Delphinula formosa, *Reeve*, 177.
 Delphinulidæ, 177.
 Dendrochelidon mystacea, 249.
 Dendroconus figulinus, *Linn.*, 156.
 Dentaliidæ, 181.
 Dentalium javanum, *Sow.*, 181.
 pseudo-sexagonum, *Desh.*, 181.
 Dermatomyzon, *Claus*, 113.
 nigripes, *Brady & Roberts.*, 113, 118.
 Diala albugo, *Wats.*, 170.
 Diastopora gemmifera, *Abich*, 434; mentioned, 435.
 Diastylis, *Say*, 65.
 Rathkei, *Kröyer*, 65, 116.
 Dibranchia, 199.
 Dicholophus, 234, 248.
 Dicranura vinula, *Linn.*, 412.
 Dictynidæ, 15, 18.
 Dione inflata, *Sow.*, 193.
 Diosaccus, mentioned, 106.
 Diplodonta, mentioned, 197.
 ethima *, *Melv. & Stand.*, 197, 206.
 subcrassa, *Smith*, 197.
 subglobosa, *Smith*, 197.
 Dipnoi, 541, 550.
 Diptera and Neuroptera (Hemerobiidæ) of Lake Urmi, by *R. T. Günther*, 414-416.
 Discoglossus, 461.
 Divaricella Macandrea, *H. Ad.*, 199.
 ornata, *Reeve*, 200.
 Divaricellæ, 200.
 Doliidæ, 164.
 Dolium perdix, *Linn.*, 164.
 variegatum, *Linn.*, 164.
 (Malea) pomum, *Linn.*, 164.
 Donacilla rhomboides, *Gmel.*, 201.
 semitorta, *Sow.*, 201.
 virgulata, *Hanley*, 201.
 Dosinia cærulea, *Reeve*, 194.
 histrion, *Gmel.*, 194.
 Draba ochroleuca, 42.
 Dracocephalum grandiflorum, 42.
 Dreissena, mentioned, 353.
 Drillia torresiana, *Smith*, 156.
 Dryas octopetala, 43.
 Duck, wing of, 243.
 Duerden, J. E., The Edwardsia-stage of the Actinian Lebrunia, and the Formation of the Gastro-cælotomic Cavity, 269-316.
 Dulichia, *Kröyer*, 80.
 spinosissima, *Kröyer*, 80, 117.
 Dysdera crocota, *C. Koch*, 15.
 maxima, *Nic.*, 17.
 Dysderidæ, 15, 17.
 Echinodermata, 179, 307, 434, 435, 436.
 Echinoidea, Fossil, of Lake Urmi, by *J. W. Gregory*, 419-424.
 Echinolampas, 433.
 complanatus, *Abich*, 434, 435, 436.
 Ectinosoma, *Boeck*, 94; mentioned, 95, 96.
 atlanticum, *Brady & Roberts.*, 96; mentioned, 95, 117.
 curticorne, *Boeck*, 95, 117.
 melaniceps, *Boeck*, 95, 117.
 Normani, *T. & A. Scott*, 95; mentioned, 96, 117.
 propinquum, *T. & A. Scott*, 95, 117.

- Ectinosoma pygmaeum*, *T. & A. Scott*, 95, 117.
Sarsi, *Boeck*, 94; mentioned, 95, 117.
tenuis, *Brady & Roberts.*, 96.
Edentata, 377.
Edriophthalma, 61.
 Edwardsia-stage, The, of the Actinian *Lebrunia*, and the Formation of the Gastro-cœlomic Cavity, by *J. E. Duerden*, 269-316.
Eglisia tricarinata, *Ad. & Reeve*, 172.
Elephantidæ, 377.
 Elk, 37.
Elwes, *H. J.*, On the Zoology and Botany of the Altai Mountains, 23-46.
Enchytraeus, mentioned, footnote 502.
Endothyra, mentioned, 351.
 Bowmanni, *Phillips*, mentioned, 452.
Engina concinna, *Reeve*, 159.
 Reevei, *Tryon*, 159.
Engraulis enchrasiolus, *Cuv.*, 526.
Enhydrosoma, *Boeck*, 104.
 curvatum, *Brady & Roberts.*, 104, 118.
Entomostraca, 60, 61, 81, 395.
Ephydra halophila, 415, 416.
 riparia, mentioned, 356; larvæ of, 356.
 salinaria, 415.
 urmiana *, *R. T. Günther*, 415; larva of, 416.
Epidromus antiquatus, *Hinds*, 163.
 Bednalli, *Brazier*, 163.
Epinephele hispulla, *Esper*, 408.
 lycaon, var. *lupinus*, *Costa*, 408.
Episema glaucina, *Esper*, 412.
Equidæ, 377.
Equus Prejvalskii, 41.
Erebia, 39.
 afer, *Esper*, 408.
 ero, 43.
 lapponica, 43.
 maurisius, 43.
 tyndarus, 42.
Eremia, 370.
Ericaceæ, 43.
Eristalis, larvæ of, 356.
Erycinidæ, 189.
Eryx jaculus, *Lin.*, 380.
 —, var. *miliaris*, 380.
Euchæta *Phillippi*, 91.
 norvegica, *Boeck*, 91, 117.
Euchelus angulatus, *Pease*, 177.
 atratus, *Gmel.*, 177.
Euclidia *mi*, *Clerck*, 412.
Eucythere, *Brady*, 86.
 declivis, *Norm.*, 86, 117.
Euglena deses, *Ehrenb.*, 467.
Euglena Ehrenbergii, 480.
Spirogyra, *Stein*, 467; cells in, 467.
 viridis, on the Eye-spot and Flagellum in, by *Harold Wager*, 463-481.
 —, vacuole system and gullet, 466-468.
 —, structure of the eye-spot, 468-472.
 —, flagellum, 472-474.
 —, effect of light on, 474-477.
 —, function of the eye-spot, 477-481.
Eulima, 173.
 australasiaca *, *Melv. & Stand.*, 173, 206.
 latipes, *Watson*, 173.
 (Leiostraca) *acicula*, *Gould*, 173.
Eulimidæ, 173.
Eumeces, 380.
 algeriensis, 380.
 Schneideri, *Daud.*, 379; mentioned, 361.
Eupelte, *Claus*, 112.
 purpurocincta, *Norm.*, 112, 118.
Euphausiidæ, 485.
Euphyllia, 310, 311; mentioned, 297.
 rugosa, mentioned, 310.
Eupithecia subumbrata, *Schiffermüller*, 413.
Eupleura jucundum, *A. Ad.*, 164.
 perca, *Parry*, 164.
 pulchra, *Gray*, 164.
Eupolia, 266.
Eurylæmus, 248.
 javanicus, 250.
Eurypelma sp., 16.
Eurypyga, 248, 250, 254.
Eusirus, *Kröyer*, 76.
 cuspidatus, *Kröyer*, 76, 117.
Euthemisto libellula, *Mandt.*, mentioned, 69.
Eutrochus septenarium *, *Melv. & Stand.*, 176.
Exocetus, 522.
 Eye-spot and Flagellum, On the, in *Euglena viridis*, by *Harold Wager*, 463-481.
Falco altaicus, 43.
 sacer, 43.
Fasciolaria filamentosa, *Lam.*, 158.
Fasciolariidæ, 158.
 Fin-foot, 248.
 Fishes of Lake Urmi, by *Dr. A. Günther*, 381-391.
Fissurella corbicula, *Sow.*, 179.
 lanceolata, *Sow.*, mentioned, 179.
 (*Glyphis*) *corbicula*, *Sow.*, 179.
 (—) *Jukesi*, *Reeve*, 179.
Fissurellidæ, 179.

- Flabellipecten, 431.
 sp., 444.
 Flabellum, 132, 134.
 Flagellum, in *Euglena viridis*, by
 Harold Wager, 463-481.
 Flat-fishes, 541.
 Foraminifera, 435.
 Forficula auricularia, *Linn.*, 416.
 Forficularia, 416.
 Fossil Corals of Lake Urmi, by J. W.
 Gregory, 424-430.
 Fragum unedo, *Linn.*, 192.
 Fucaceæ, 471, 472.
 "Fundusdrüsen," 2.
 Fusulina cylindrica, *Fischer*, mentioned,
 453.
 sphærica, *Abich*, mentioned, 453.
Fusus crispus, *Borson*, 450.

 Gadidæ, 547.
 Galaxea, mentioned, fnote 488.
 Galeodes, *Oliv.*, 361, 402.
 arabs, *C. Koch*, 402.
 citrinus, *Pocock*, 403, 404.
 cyrus, *Pocock*, 404.
 darius, *Pocock*, 403.
 truculentus *, *Pocock*, 402; men-
 tioned, 403, 404.
 Galeommiidæ, 189.
 Galeus, fnote 46.
 canis, 47.
 Galidæ, 524.
 Gallinula Campbelli, *Gray*, 165.
 canarium, *Linn.*, 165.
 Isabella, *Lam.*, 165.
 Sibbaldi, *Sow.*, 165.
 urceus, *Linn.*, 165.
 variabilis, *Swains.*, 165.
 vittatus, *Linn.*, 165.
 Gallus, 248.
 bankiva, var. domestica, 255.
 Gammaracanthus, *Spence Bate*, 79.
 loricatus, *Sabine*, 79, 117.
 Gammaridea, 69.
 Gammarus, *Fabr.*, 79.
 carinatus, *Fabr.*, 78.
 locusta, *Linn.*, 69, 79, 117.
 loricatus, *Sabine*, 79.
 pinguis, *Kröyer*, 79.
 pulex, *De Geer*, 366, 395.
 Gampsonychidæ, 343.
 Ganoris rapæ, var. ergane, *Hübner*, 410.
 Gari anomala, *Desh.*, 198.
 marmorea, *Desh.*, 198.
 ornata, *Desh.*, 198.
 præstans, *Desh.*, 198.
 pulcherrima, *Desh.*, 198.
 Gasteropoda, 154, 434, 435, 437, 439,
 448.
 Gastric Glands of Marsupialia, On the,
 by J. Johnstone, 1-14.

 Gastrochæna cuneiformis, *Lam.*, 199.
 plicatilis, *Desh.*, 199.
 Gastrochænidæ, 199.
 Gastrosteus, mentioned, 547.
 aculeatus, *Linn.*, mentioned, fnote
 542.
 Gayenna maculatiipes, *Keys.*, 15, 18.
 Gazella brevicornis, 377.
 deperdita, *Gaudr.*, 377.
 subgutturosa, mentioned, 362.
 Gena striatula, *A. Ad.*, 178.
 Gentiana altaica, 42.
 Geometridæ, 413.
 Geopelia cuneata, mentioned, 212, 213,
 215, 235.
 tranquilla, mentioned, 212, 213, 215,
 220, 222.
 Geophaps, 213, 215.
 plumifera, 212, 215, 220, 235.
 Geotrygon, 212, 213.
 montana, mentioned, 212, 236.
 Giganostraca, 60.
 Giraffidæ, 377.
 Gitana, *Boeck*, 72.
 Sarsii, *Boeck*, 72, 117.
 Glyphis corbicula, *Sow.*, 179.
 Jukesi, *Reeve*, 179.
 Glyphostoma rugosa, *Migh.*, 156.
 Gnathia, *Leach*, 66.
 elongata, *Kröyer*, 66; mentioned,
 67, 116.
 Gnathostomata, 61.
 Gobio Kessleri, mentioned, 387.
 persa *, *Günther*, 386, 391.
 uranoscopus, 387.
 Goniastræa, 136.
 Goniomyia Rodleri, *Weithofer*, 438.
 Goniopora, 129, fnote 130, 131, 137,
 138, 140, 141, 142, 143, 144,
 148, 149, 491, 497.
 Stokesi, 148.
 Gorgonia, mentioned, 310.
 Goura, 226.
 Gregory, J. W., Fossil Corals of Lake
 Urmi, 424-430.
 —, Fossil Echinoidea of Lake Urmi,
 419-424.
 Gresslya sp., 439.
 Grues, 248.
 Gryllodea, 418.
 Gryllotalpa gryllotalpa, *Linn.*, 371, 418.
 Gryllotalpidæ, 418.
 Günther, Dr. A., The Wild Sheep of the
 Urmi Islands, 374-376.
 —, Fishes of Lake Urmi, 381-391.
 Günther, Robert T., Contributions to
 the Natural History of Lake Urmi,
 N.W. Persia, and its Neighbourhood,
 345-453.
 —, Crustacea of Lake Urmi, 394-
 398.

- Günther, R. T., Neuroptera (Hemero-
bidae) and Diptera of Lake Urmi,
414-416.
- Guillemot, wing of the embryo, 242.
- Gymnarchus, 524.
niloticus, mentioned, 531.
- Gymnotidae, 526.
- Gyrineum (Apollon) pusillum, *Brod.*,
164.
(Eupleura) jucundum, *A. Ad.*, 164.
(Lampas) ranelloides, *Reeve*, 163.
- Haddon, Prof. A. C., First Expedition
to the Torres Straits in 1888-89, 150-
206.
- Hadena bimaculosa, *Linn.*, 411.
- Halcyon, 249.
chloris, 249.
sancta, 249.
vagans, 249.
- Halimedes *obtusifrons*, *Hansen*, 73.
- Haliotidae, 150, 179.
- Haliotis Philberti, *Serres*, 434, 435.
varia, *Linn.*, 179.
(Padollus) ovina, *Chemn.*, 179.
(Teinotis) asinina, *Linn.*, 179.
- Halirages, *Boeck*, 77.
fulvocinctus, *M. Sars*, 77, 78, 117.
- Halmopota salinaria, 415.
- Halophilus, 416.
- Haminea brevis, *Q. & G.*, 155.
crocata, *Pease*, 155.
- Hamster, 318.
- Haploplax purus, *Sykes*, mentioned,
180.
- Harpacticidae, 94.
- Harpacticus, *Milne-Edw.*, 111.
chelifer, *Müller*, 111, 118.
—, var. arcticus *, *T. Scott*, 111,
118.
gracilis, *Claus*, mentioned, 111, 112.
- Harpoceras, 437.
atropatenes, *Borne*, 439.
kapautense, *Borne*, 439.
kurrianum, *Oppel*, 437.
mediae, *Borne*, 439.
radians, *Reinecke*, 437.
- Heliastrea Defrancei, mentioned, 426.
Guettardi, *Defr.*, 436.
Haimei, *d'Archiac*, ftnote 427.
- Helicella acutistria, *Böttger*, 391.
apicina, *Lamk.*, mentioned, 392.
parableta, *Böttger*, 391.
pisiformis, *Pfeiffer*, 392.
sp., 392.
- Helicogena figulina, *Parreys*, 391.
Helicophora rotundicornis, *Weith.*, 377.
- Heliornis, 248, 253, 254.
- Helix (Helicogena) figulina, *Parreys*,
391.
- Hemerobius ?, larva of, 414, 416.
- Hemicardium subretusum, *Sow.*, 192.
(Ctenocardium) fornicatum, *Sow.*,
193.
(—) fragum, *Linn.*, 193.
(—) imbricatum, *Sow.*, 193.
(Fragum) unedo, *Linn.*, 192.
- Hemilepistus, 394.
- Hemimactra aspersa, *Sow.*, 199.
- Hemipodes, 248.
- Henopomus tricornis, *Kröyer*, 67.
- Heptadactylus lambis, *Linn.*, 166.
- Heptanchus, 49, 51.
- Heracleum, 43.
- Hermes nussatella, *Linn.*, 156.
- Herodiones, 247.
- Herpetocypris, *Brady & Norm.*, 82.
arctica *, *Thos. Scott*, 83, 117.
dubia *, *Thos. Scott*, 82, 117.
- Hesperidae, 411.
- Hesperornis, 251.
- Heterographis pyrethrella, *Herr.-Schäff.*,
413.
- Heteromysis, mentioned, 484.
- Heteropora, 129.
- Heterosomata, 541, 546, 547, 548.
- Heterotis, 524.
- Hexacorallia, 302.
- Hexactinia, 303, 308.
- Hima plebecula, *Gld.*, 160.
- Himantornis, 250.
- Hipparchia briseis, 408.
—, var. turanica, *Stgr.*, 408.
circe, *Fabr.*, 408.
pelopea, *Klug*, 408.
- Hipparrion mediterraneum, *Hensel*, 377.
- Hippolyte *Gaimardii*, *Milne-Edw.*, 63.
Phippsii, *Kröyer*, 63.
- Holocentrum, 525.
spiniferum, *Günther*, 528.
- Hoplites narbonensis, *Pictet*, 438.
- Hoplonyx, *G. O. Sars*, 70.
similis, *G. O. Sars*, 70, 116.
- Hoplophoria coralligena, *H. V. Wilson*,
mentioned, 270, 271.
- Hyæna eximia, *Roth et Wagn.*, 377.
- Hydrozoa, 301.
- Hyla arborea, *Linn.*, 381.
—, var. Savignyi, *Aud.*, 381.
- Hymenochirus Boettgeri, Note on the
Carpus of the new Aglossal Toad,
461-463.
—, On the Hyobranchial Skeleton and
Larynx of the new Aglossal Toad,
454-460.
- Hyobranchial Skeleton and Larynx of
the new Aglossal Toad, Hymeno-
chirus Boettgeri, On the, by W. G.
Ridewood, 454-460.
- Hyodon, 527, 529, 531, 534, 536.
claudulus, *Les.*, 525, 527, 530.
tergisus, *Les.*, 525.

- Hyodontidæ, 525.
 Hyperia, *Latr.*, 69.
 galba, *Montagu*, 69, 116.
 oblivia, *Kröyer*, 69.
 Hyperideæ, 69.
 Hypsopygia costalis, *Fabr.*, 414.
 Hystricomorpha, 320, 321, 331, 334.
- Ianthina fragilis, *Linn.*, mentioned, 172.
 Smithiæ, *Reeve*, 172.
 Ianthinidæ, 172.
 Ibx of the Altai, 37.
 Ichthyopsida, mentioned, footnote 550.
 Ichtherium hipparionum, *Gaudr.*, 377.
 Idya, *Philippi*, 112.
 furcata, *Baird*, 112; mentioned, 113, 118.
 minor, *T. & A. Scott*, 113, 118.
 Ino excelsior *, *Melv. & Stand.*, 116.
 Insecta (Lepidoptera Phalænæ) of Lake Urmi, by Sir G. F. Hampson, 411-414.
 — (Lepidoptera Rhopalocera) of Lake Urmi, by A. G. Butler, 408-411.
 Iris ruthenica, 27.
 tigridia, *Bunge*, 42.
 Isanda, *Ad.*, mentioned, 178.
 coronata, *Ad.*, mentioned, 178.
 Ischnochiton (Haploplax) purus, *Sykes*, mentioned, 180.
 (—) sp., 180.
 Ischyrocerus, *Kröyer*, 80.
 anguipes, *Kröyer*, 80, 117.
 Isopoda, 61, 65, 394.
- Janira, *Leach*, 67.
 tricornis, *Kröyer*, 67, 116.
 Johnstone, James, On the Gastric Glands of the Marsupialia, 1-14.
 Jonesiella, *Brady*, 97.
 spinulosa, *Brady & Roberts.*, 97, 118.
 Julodis lævicostatus, *L. & G.*, 370.
- Kagu, 248.
 Katelsia scalarina, *Lam.*, 196.
 Kellia, mentioned, 189.
 physema *, *Melv. & Stand.*, 189, 206.
 Koala, Anatomy of, 1.
 Kyle, H. M., On the Presence of Nasal Secretory Sacs and a Naso-pharyngeal Communication in Teleostei, with especial reference to Cynoglossus semilævis, *Günther*, 541-555.
- Labridæ, 542.
 Labrus, mentioned, 547.
 Lacerta viridis, *Laur.*, 378.
 —, var. *strigata*, *Eichw.*, 378.
- Lacertilia, 378.
 Lævocardium Bechei, *Ad. & Reeve*, 192.
 biradiatum, *Brug.*, 192.
 lyratum, *Sow.*, 192.
 Lagomorpha, 320, 331.
 Lake Urmi, Contributions to the Natural History of, N.W. Persia, and its Neighbourhood, by R. T. Günther, 345-453.
 Lamellibranchiata, 434-436, 439, 440.
 Lampania zonale, *Brug.*, 168.
 Lampas ranelloides, *Reeve*, 163.
 Lampros, *Sars*, 65.
 fuscata, *G. O. Sars*, 65, 116.
 Lamprostoma maculatus, *Linn.*, 175.
 Laophonte, *Philippi*, 101.
 curticauda, *Boeck*, 102; mentioned, 103, 118.
 depressa, *T. Scott*, 102, 118.
 horrida, *Norm.*, 101; mentioned, 102, 118.
 intermedia, *T. Scott*, 102, 118.
 longicaudata, *Boeck*, 102, 118.
 perplexa *, *T. Scott*, 103, 118.
 similis, *Claus*, 102; mentioned, 103, 118.
 Laophontodes, *T. Scott*, 103.
 typicus, *T. Scott*, 103, 118.
 Lapwing, wing of the, 242.
 Larix sibirica, 43.
 Lasiocampidæ, 413.
 Lathroductus, *Walck.*, 400.
 tredecim-guttatus, *Rossi*, 400.
 —, var. *erebus*, *Sav.*, 400.
 Latirus crispus, *Borson*, 431, 450, 452.
 polygonus, *Gmel.*, 158.
 —, var. *tessellatus*, *Kobelt*, 158.
 (Peristernia) *australiensis*, *Reeve*, 158.
 Lebrunia, the Edwardsia-stage of the Actinian, and the Formation of the Gastro-celomic Cavity, by J. E. Duerden, 269-316.
 Lebrunia coralligens, *H. V. Wilson*, mentioned, 271, 275, 300.
 Leda Darwini, *Smith*, 188.
 Leiostraca acicula, *Gould*, 173.
 thoracica, mentioned, 103.
 Lepidoleprus, mentioned, 530.
 collorhynchus, mentioned, 530.
 norvegicus, 530.
 trachyrhynchus, *Risso*, mentioned, 530.
 Lepidoptera Phalænæ of Lake Urmi (Sir G. F. Hampson), 411-414.
 Lepidoptera Rhopalocera of Lake Urmi (A. G. Butler), 408-411.
 Lepidorhombus whiff, mentioned, 543.
 Leptognathia, *G. O. Sars*, 66.
 longiremis, *Lilljeborg*, 66, 116.
 Leptomysis, mentioned, 484.

- Leuciscus, mentioned, 349.
 aula, mentioned, 389.
 cephalus, *Linn.*, 387.
 gaderanus *, *Günther*, 364, 388, 391.
 ulanus *, *Günther*, 364, 387; mentioned, 388, 391.
 Leucosarcia, 213, 215, 227.
 picata, 212, 215, 235.
 Leucothoë *phyllonyx*, *M. Sars*, 73.
 Leucotis, *Swains.*, mentioned, 171.
 Libitina angulata, *Lam.*, 193.
 Lima squamosa, *Lam.*, 182.
 (*Ctenoides*) fragilis, *Chemn.*, 182.
 (—) tenera, *Chemn.*, 182.
 (*Limatula*) bullata, *Born*, 182.
 (—) torresiana, *E. A. Smith*, 182, 206.
 (*Mantellum*) arcuata, *Sow.*, 182.
 (—) inflata, *Lam.*, 182.
 Limatula bullata, *Born*, 182.
 torresiana, *E. A. Smith*, 182, 206.
 Limestone, Note on a Palæozoic, from Lake Urmi, by *R. Bullen Newton*, 452-453.
 Limicolæ, 247.
 Limidæ, 182.
 Limnæa palustris, *Müller*, 393.
 stagnalis, *Linn.*, 393.
 truncatula, *Müller*, 393.
 Limopsis cancellata, *Reeve*, 188.
 Woodwardi, *A. Ad.*, 188.
 Limnæa borealis, 43.
 Linum cæruleum, 42.
 Lioconcha hebræa, *Lam.*, 193.
 picta, *Lam.*, 194.
 Sowerbyi, *Desh.*, mentioned, 194.
 tigrina, *Lam.*, mentioned, 194.
 Liotia varicosa, *Reeve*, 177.
 Litharæa, 143.
 Lithobius, *Leach*, 399.
 forficatus, 399.
 mutabilis, *L. Koch*, 399.
 persicus *, *Pocock*, 399.
 Lithoconus litteratus, *Linn.*, 156.
 —, var. millepunctatus, *Lam.*, 156.
 Lithophagus canaliferus, *Hanley*, 184.
 gracilis, *Phil.*, 185.
 Hanleyanus, *Dkr.*, 185.
 teres, *Phil.*, 185.
 Litiopidæ, 170.
 Littorina filosa, *Sow.*, 170.
 (*Melagraphæ*) mauritiana, *Lam.*, 170.
 Littorinidæ, 170.
 Lixus bardanæ, *F.*, 370.
 Lloydia serotina, 42.
 Locustodea, 418.
 Louvia troile, 256; wing of, 242.
 Lophophaps plumifera, 215.
 Loripes Haddoni *, *Melville & Standen*, 200, 206.
 Lotella bacchus, 525, 588.
 Lubbock, Sir John, on some Australasian Collembola, 334-338.
 Lucina (Codakia) exasperata, *Reeve*, 200.
 (—) fibula, *Reeve*, 200.
 (—) interrupta, *Lam.*, 200.
 (*Divaricella*) Macandreae, *H. Ad.*, 199.
 (—) ornata, *Reeve*, 199.
 Lucinacea, 199.
 Lucinidæ, 199.
 Ludwigia gigas, *Quenst.*, 438.
 krakoviensis, *Neumayr*, 438.
 lunula, *Zieten*, 438.
 nodosa, *Quenst.*, 438.
 punctata, *Stahl*, 438.
 Luponia erronea, *Linn.*, 164.
 flaveola, *Linn.*, 164.
 lynx, *Linn.*, 164.
 ziczac, *Linn.*, 164.
 Lutraria arcuata, *Desh.*, 199.
 rhynchæna, *Jones*, 199.
 Lycæna, 39.
 dama, *Stend.*, 409.
 omphale, *Klug*, 410.
 orbitulus, 43.
 pheretes, 43.
 thetis, *Klug*, 410.
 Lycænidæ, 409.
 Lycosa, *Latr.*, 370, 401.
 australis, *E. Simon*, 16, 22.
 Fernandezi *, *Pickard-Cambridge*, 16, 21.
 ferox, *Lucas*, mentioned, 402.
 Guentheri *, *Pocock*, 401.
 implacida, *Nic.*, 16, 21.
 Lycosidæ, 16, 21.
 Lymantria dispar, *Linn.*, 412.
 Lymantriadæ, 412.
 Mabuia septemtæniata, *Reuss*, 379.
 Macaria murinaria, *Schiffermüller*, 413.
 Machetes pugnax, 240, 255.
 Machilis, mentioned, 407.
 pera ?, 416; Acarid upon, 416.
 Macrocephalites sp., 438.
 Macroglossa stellatarum, *Linn.*, 412.
 Macrura, 61, 63, 394.
 Macruridæ, 530.
 Macrurus, 531.
 trachyrhynchus, *Risso*, mentioned, footnote 530.
 Mactra achatina, *Chemn.*, 199.
 apicina, *Desh.*, 199.
 (*Hemimactra*) aspersa, *Sow.*, 199.
 (*Oxyperas*) Coppingeri, *Smith*, 199.
 Mactridæ, 199.

- Madrepora, *Ehrenb.*, mentioned, 128, 129, 296, 487, 488, 495, 496.
- Madrepora Astræopora, 129.
Phyllopora, 129.
Porites, 129.
- Madreporaria, 296, 308.
- Madreporarian System, Recent Poritidæ, and the Position of the Family in the, by Henry M. Bernard, 127-149.
- Mæandraraæ, 143.
- Magadis *, *Melv. & Stand.*, 174.
eumerintha *, *Melv. & Stand.*, 174, 206.
- Malacostraca, 60, 61, 63, 394.
- Malea pomum, *Linn.*, 164.
- Mamma aurantia, *Lam.*, 172.
Flemingiana, *Récluz*, 172.
- Mammalia, gastric glands in, 2.
—, Pliocene, of the bone-beds of Maragha (R. T. Günther), 376.
- Manatus, stomach of, 2.
australis, 3.
- Mangilia, mentioned, 157.
(*Cythara*) chionea *, *Melv. & Stand.*, 156, 206.
(—) gracilis, *Reeve*, 156.
(—) pulchella, *Reeve*, 156.
(*Glyphostoma*) rugosa, *Migh.*, 156.
- Manicina, mentioned, 295, 308.
areolata, mentioned, 293.
- Manis, gastric gland in, 2.
javanica, 3.
- Mantellum arcuata, *Sow.*, 182.
inflata, *Lam.*, 182.
- Mantodea, 417.
- Maraenobiotus, *Mrazek*, 99; mentioned, 100.
Vejdovskyi, *Mrazek*, 99, 118.
- Maragha, Bone-beds of, the Pliocene Mammalia of (R. T. Günther), 376.
- Marginella (*Persicula*) ovulum, *Sow.*, 157.
- Marginellidæ, 157.
- Marsupialia, Gastric Glands of, by J. Johnstone, 1-14.
- Mastodon Pentelici, *Gaud. et Lart.*, 377.
sp., 377.
- Mathilda eurytima, *Melv. & Stand.*, 170.
- Meandrina, 144.
- Megalatractus, 159.
probosciferus, *Lam.*, 158.
- Megapodes, 247.
- Melaraphe mauritiana, *Lam.*, 170.
- Meleagrina anomioides, *Reeve*, 183.
margaritifera, *Linn.*, 184.
tegulata, *Reeve*, 184.
- Meles canescens, mentioned, 362.
maraghanus, *Kittl.*, 377.
- Melitæa aurinia, *Rott.*, 408.
- Melo diadema, *Lam.*, 157.
- Melville, James Cosmo, and Standen, Robert, Report on the Marine Mollusca obtained during the First Expedition of Prof. A. C. Haddon to the Torres Straits, in 1888-89, 150-206.
- Membranipora fenestrata, *Eichw.*, 434, 435.
- Menura, 248.
- Meretrix incrassata, *J. Sow.*, 447, 452.
incrassata, R. B. Newton, 448.
persiensis *, *R. B. Newton*, 447; mentioned, 448, 431, 432, 452.
- Merops apiaster, mentioned, 363.
- Merria, *Gray*, mentioned, 171.
- Mesochra Brucei, *Richard*, mentioned, 100.
- Mesodesma præcisa, *Desh.*, 193.
- Mesodesmatidæ, 193.
- Meta Menardi, 19.
nigrohumeralis *, *Pickard-Cambridge*, 16, 18.
- Metanastria trifolii, *Schiffermüller*, 413.
—, ab. terreni, *Herr.-Schäff.*, 413.
- Metopa, *Boeck*, 72.
neglecta, *Hansen*, 72, 117.
pusilla, *G. O. Sars*, 72, 117.
sinuata, *G. O. Sars*, 72, 117.
- Metridia, *Boeck*, 91.
armata, *Boeck*, mentioned, 91.
hibernica, *Brady*, mentioned, 91, 92.
longa, *Luhbock*, 91, 117.
- Metridium, mentioned, 303, 304, 308.
- Michael, A. D., Acari of Lake Urmi, 407.
- Microsolena, 143.
- Microstella atlantica, *Brady & Roberts.*, 96.
- Microtheca, 178.
Aicialia *, *Melv. & Stand.*, 177; mentioned, 178, 206.
crenellifera, *Ad.*, mentioned, 177, 178.
- Minolia glaphyrella, *Melv. & Stand.*, 176.
pudibunda, *Fischer*, 176.
viticiginea, *Mke.*, 176.
- Misophris, *Boeck*, 92.
pallida, *Boeck*, 92, 117.
- Misophrisidæ, 92.
- Mitchell, P. Chalmers, On so-called "Quintocubitalism" in the wing of Birds; with special reference to the Columbæ, and Notes on Anatomy, 210-236.
- Mitra episcopalis, *Linn.*, 157.
ferruginea, *Lam.*, 158.
Græffei, *Cr.*, 158.
lævizonata, *Sow.*, 158.
tricolor, *Montr.*, 158.
(*Castellaria*) modesta, *Reeve*, 158.

- Mitra (Chrysome) peregra, *Reeve*, 157.
 (—) rubritincta, *Reeve*, 158.
 (Pusia) dichroa, *Ad. & Reeve*, 158.
 (Strigatella) decurtata, *Reeve*, 158.
 (Turricula) corrugata, *Lam.*, 158.
 (Vulpecula) intermedia, *Kiener*, 158.
 Mitrella semiconvexa, *Lam.*, 161.
 Mitridæ, 157.
 Moa, 251.
 Modiola arborescens, *Chemn.*, 184.
 australis, *Gray*, 184.
 cinnamomea, *Chemn.*, 184.
 lignea, *Reeve*, 184.
 philippinarum, *Hanley*, 184.
 (Adula) lanigera, *Dkr.*, 184.
 Modiolaria Cumingiana, *Dkr.*, 184.
 Modulidæ, 169.
 Modulus obtusalis, *Phil.*, 169.
 Moerchiella spirata, *Sow.*, 171.
 —, var. *artensis*, *Montr.*, 171.
 —, var. *deformis*, *Sow.*, 171.
 Mollusca, Land and Freshwater, of Lake Urmi, by *Edgar A. Smith*, 391–393.
 —, Marine Tertiary (Miocene) of Lake Urmi, by *R. Bullen Newton*, 430–452.
 —, Report on the Marine, obtained during the First Expedition of *Prof. A. C. Haddon* to the Torres Straits, in 1888–89, by *James Cosmo Melvill* and *Robert Standen*, 150–206.
 Monia ione, *Gray*, 181.
 Monocolodes, *Stimpson*, 72.
 borealis, *Boeck*, 72, 117.
 latimanus, *Goëss*, 73, 117.
 longicornis, *Boeck*, 73.
 Schneideri, *G. O. Sars*, 73, 117.
 Monocolopsis, *G. O. Sars*, 73.
 longicornis, *Boeck*, 73, 117.
 Monoculus finmarchicus, *Gunner*, 90.
 Monodactylus Lamareki, *Gray*, 165.
 melanostomus, *Swains.*, 165.
 Monodonta canaliferus, *Lam.*, 175.
 Monoxenia, mentioned, 303.
 Montipora, 131, 135, 139, 144, 145, 146, 147, 148, 489, 490.
 Montiporinæ, 143.
 Moraria, mentioned, 99.
 Mormyrus, mentioned, 530–531.
 Moths of Lake Urmi, 411–414.
 Munna, *Kröyer*, 67.
 Fabricii, *Kröyer*, 67, 113, 116.
 Kröyeri, *Goodsir*, 67, 116.
 Munnopsis, *M. Sars*, 68.
 typica, *M. Sars*, 68, 116.
 Murex acanthopterus, *Lam.*, 162.
 brevispina, *Lam.*, 161.
 eurypteron, *Reeve*, 162.
 Murex triformis, *Reeve*, 162.
 (Chicoreus) adustus, *Lam.*, 161.
 (—) —, var. *fuscus*, *Dkr.*, 161.
 (—) axicornis, *Lam.*, 161.
 (—) capucinus, *Lam.*, 161.
 (—) cervicornis, *Lam.*, 162.
 (—) ramosus, *Linn.*, 162.
 (Ocinebra) salmonius*, *Melv. & Stand.*, 162, 206.
 (Pteronotus) saibaiensis*, *Melv. & Stand.*, 161, 206.
 Muricidæ, 161.
 Musk Deer, 37.
 Musophaga, 251.
 Mustelus, 48, 49, 54.
 vulgaris, 47.
 Mya vulsella, *Linn.*, 184.
 Myidæ, 199.
 Myodocopa, 61, 89.
 Myology of Anomalurus (F. G. Parsons), 317–334.
 Myomorpha, 320, 321, 331, 334.
 Myoxidæ, 11.
 Myoxus avellanarius, 3, 10, 11.
 Myripristis, 525.
 Mysidæ, 482.
 Mysis, *Latr.*, 64; mentioned, 483.
 denticulata, *G. M. Thomson*, 482.
 oculata, *Fabr.*, 64, 116.
 Mytilocardia crassicostata, *Lam.*, 188.
 muricata, *Sow.*, 188.
 variegata, *Brug.*, 188.
 Mytilidæ, 184.
 Mytilus horridus, *Dkr.*, 184.
 Matianus, *Borne*, 439.
 (Aulacomya) hirsutus, *Lam.*, 184.
 Myurella subulata, *Linn.*, 155.
 Myxine, 541.
 Myxinidæ, 551, 552.
 Myzopontius, *Giesbr.*, 114.
 pungens, *Giesbr.*, 114, 118.
 Napopora, *Quelch*, 143, 144, 149, 491.
 Nares, Note on the External, of the Cormorant, by *W. P. Pycraft*, 207–209.
 Narica, *Récluz*, mentioned, 171.
 Nassa, 160.
 arcularia, *Linn.*, mentioned, 151.
 fretorum, mentioned, 160.
 monile, *Kien.*, mentioned, 160.
 plebecula, *Gould*, mentioned, 160.
 (Alectryon) fretorum*, *Melv. & Stand.*, 159, 206.
 (—) suturalis, *Lam.*, 159.
 (Hima) plebecula, *Gould*, 160.
 (Niotha) albescens, *Dkr.*, 159.
 (—) cremata, *Hinds*, 159.
 (—) multicostata, *A. Ad.*, 160.

- Nassa* (Niotha) rotunda, *Melv. & Stand.*, 160.
- Nassaria suturalis*, *A. Ad.*, 159.
- Nassidæ*, 159.
- Natica areolata*, *Récluz*, 172.
Gaultieriana, *Petit*, 172.
 unifasciata, *Lam.*, mentioned, 151.
 (Mamma) aurantia, *Lam.*, 172.
 (—) Flemingiana, *Récluz*, 172.
 (Neverita) bicolor, *Phil.*, 172.
- Naticidæ*, 172.
- Natural History, Contributions to the, of Lake Urmi, N.W. Persia, and its Neighbourhood, by R. T. Günther, 345-453.
- Nausithoë*, mentioned, 303.
- Nebalia*, mentioned, 341, 342.
- Nemachilus persa*, 364, 391.
- Neoporites*, 143, 147, 149, 492.
- Nerita polita*, *Linn.*, 173.
 —, var. *aurora*, *Dkr.*, 173.
signata, *Macleay*, 174.
undata, *Linn.*, 174.
 (Peleronta) funiculata, *Reeve*, 174.
 (—) plicata, *Linn.*, 174.
 (Thelicosstyla) albicilla, *Linn.*, 174.
- Neritidæ*, 173.
- Neritina*, mentioned, 353.
- Neuroptera (Hemerobiidæ) and Diptera of Lake Urmi, by R. T. Günther, 414-416.
- Neverita bicolor*, *Phil.*, 172.
- Newton, R. Bullen, Marine Tertiary (Miocene) Mollusca of Lake Urmi, 430-452.
 —, Note on a Palæozoic Limestone from Lake Urmi, 452-453.
- New Zealand Schizopoda, on some, by George M. Thomson, 484-486.
- Niotha albescens*, *Dkr.*, 159.
fretorum *, *Melv. & Stand.*, 159.
rotunda, *Melv. & Stand.*, 160.
- Noctuidæ*, 411.
- Nodosaria radicular*, *Linn.*, mentioned, 452.
- Nomophila noctuella*, *Schiffermüller*, 414.
- Notodontidæ*, 412.
- Notopterus*, 519.
borneensis, *Bleeker*, mentioned, 503.
Pallasii, *C. & V.*, mentioned, 503, 504, 506, 516, 519-522.
- Nubecula striatus*, *Linn.*, 156.
- Nucula obliqua*, *Lam.*, 188.
simplex, *A. Ad.*, 188.
- Nuculidæ*, 188.
- Nutrackers, 38.
- Nyctiphanes*, *G. O. Sars*, 485.
australis, *G. O. Sars*, 485.
- Nymphalidæ*, 408.
- Obeliscus dolabrata*, *Linn.*, 173.
terebelloides, *A. Ad.*, 173.
- Obtortis*, *Hedley*, ftnote 171.
pyrrhacme, ftnote 171.
- Ocinebra*, mentioned, 162.
salmoneus *, *Melv. & Stand.*, 162.
- Ocydromus*, 250-252.
- Œdalius nigrofasciatus*, *De Geer*, 417.
- Œdiceros latimanus*, *Goës*, 73.
lynceus, *M. Sars*, 72.
- Œdipoda Schochii*, *Br.*, 417.
- Œdipodidæ*, 371, 417.
- Œna*, 212, 213.
capensis, mentioned, 212.
- Œneis*, 39.
bore, 43.
sculda, 43.
- Oidemia Stejnegeri*, 38.
- Oithona*, *Baird*, 92.
helgolandica, *Claus*, mentioned, 92.
plumifera, *Baird*, mentioned, 92.
similis, *Claus*, 92, 117.
spinifrons, *Boeck*, mentioned, 92.
spinirostris, *Claus*, mentioned, 92.
- Olcostephanus Straussi*, *Weithofer*, 438.
tetrameres, *Weithofer*, 438.
 (Hoplites?) *narbonensis*?, *Pictet*, 438.
- Oliva* (*Strephona*) *episcopalis*, *Lam.*, 157.
- Olivancillaria* (*Agaronia*) *nebulosa*, *Lam.*, 157.
- Olividæ*, 157.
- Omphaloclethrurum Chemnitzii*, *Hanley*, 195.
costellifera, *Ad.*, 195.
embrithes *, *Melv. & Stand.*, 195, 206.
Lamarckii, *Gray*, 196.
Listeri, *Gray*, 196.
marica, *Linn.*, 196.
subnodulosa, *Hanley*, 196.
toreuma, *Gould*, 196.
- Oncæa*, *Philippi*, 115.
mediterranea, *Claus*, 115, 118.
- Oncæadæ*, 115.
- Onesimus*, *Boeck*, 71.
Edwardsii, *Kröyer*, 69, 71, 117.
- Oniscus aculeatus*, *Lepéchin*, 76.
- Oopecten*, 445.
rotundatus, *Lam.*, 443.
rotundatus, *Sacco*, 443.
- Operculata*, 61.
- Ophidia*, 380.
- Ophiocephalus*, 522.
- Ophiops elegans*, *Ménétr.*, 361, 378.

- Opisthocomus, 223, 224, 233, 234, 248, 251, 256.
 Orbicella, 425.
 Defrancei, *Milne-Edw. & Haime*, 424, 425, 426, 427.
 Ellisi, *Defr.*, mentioned, 428.
 Guentheri *, *Gregory*, 426.
 Guettardi, *Defrance*, mentioned, 425.
 Haimei, *d'Archiac*, 427.
 vesiculosus, *Milne-Edw. & Haime*, mentioned, 426.
 Orchomenella, *G. O. Sars*, 69.
 minuta, *Kröyer*, 69, 116.
 Orneodes sp., 414.
 Orneodidæ, 414.
 Orthomesus nivosa, *Reeve*, 175.
 Orthoptera of Lake Urmi, by Malcolm Burr, 416-418.
 Orycteropus Gaudryi, *Maj.*, 377.
 Ostariophyseæ, 534.
 Ostracoda, 61, 81.
 Ostrea, 429.
 digitalina, var. Rholfsi, 440.
 digitata, *Eichw.*, mentioned, 440.
 excavata, *Desh.*, 434, 435, 440, 441.
 lamellosa, mentioned, 431, 434, 435, 440.
 pseudodigitalina, mentioned, 431, 440.
 pseudoedulis, *Desh.*, 440.
 Rholfsi, *Fuchs*, mentioned, 440.
 tubercularis, *Lam.*, 181.
 varia, *Linn.*, 446.
 Virleti, *Desh.*, 360, 429, 434, 436.
 Virleti, *Fuchs*, 440, 441.
 (Alectryonia) *Virleti*, *R. B. Newton*, 441.
 Ostreidæ, 181.
 Ostrich, wing of, 251.
 Ovidæ, 377.
 Ovis ammon, *Linn.*, 29.
 cycloceros, 375.
 Gmelini, 375.
 ophion, 361, 374.
 —, var. urmiana*, *A. Günther*, 374.
 orientalis, 374.
 —, var. urmiana, 376.
 Poli, 29.
 steatopygus, mentioned, 362.
 Ovula (Radius) Angasi, *A. Ad.*, 164.
 Owl, wing of, 243.
 Oxyperas Coppingeri, *Smith*, 199.
 Pachydrilus, 358.
 Pachytrachelus, 418.
 sp., 418.
 striolatus, *Fieb.*, 418.
 Padollus ovina, *Chemn.*, 179.
 Palæmonetes varians, 358.
 Palæoryx Pallasii, *Gaudr.*, 377.
 Palæozoic Limestone, Note on a, from Lake Urmi, by *R. Bullen Newton*, 425-453.
 Palamedeidæ, 234.
 Pandora sp., 202.
 Pandoridæ, 202.
 Papaver alpinum, 42.
 Paphia glabrata, *Desh.*, 196.
 mitis, *Desh.*, 196.
 Papilio afer, *Esper*, 408.
 agæstis, *Schiffermüller*, 409.
 althææ, *Hübner*, 411.
 aurinia, *Rott.*, 408.
 cardui, *Linn.*, 408.
 circe, *Fabr.*, 408.
 damon, *Schiffermüller*, 409.
 daphnis, *Schiffermüller*, 409.
 daphidice, *Linn.*, 410.
 edusa, *Fabr.*, 410.
 endymion, *Schiffermüller*, 409.
 ergane, *Hübner*, 410.
 hispulla, *Esper*, 408.
 icarus, *Rott.*, 409.
 lineola, *Ochsenh.*, 411.
 maia, *Cramer*, 408.
 oceanus, *Bergstrasser*, 409.
 pamphilus, *Linn.*, 408.
 ripartii, *Freyer*, 409.
 sylvanus, *Esper*, 411.
 Papilionidæ, 410.
 Papilioninæ, 410.
 Papyridea papyraceum, *Chemn.*, 192.
 Paradoxostoma, *Fischer*, 88.
 flexuosum, *G. S. Brady*, 89, 117.
 variabile, *Baird*, 88, 117.
 Parallelipipedum semitortum, *Lam.*, 186.
 Paramphithoë, *Bruzelius*, 74.
 bicuspis, *Kröyer*, 74, 117.
 fragilis, *Goës*, 77.
 monocuspis, *G. O. Sars*, 74, 75, 117.
 pulchella, *Kröyer*, 74, 117.
 Paraphysa manicata, *E. Simon*, 15, 16.
 Parapleustes, *Buchholz*, 75.
 glaber, *Boeck*, 75, 117.
 Parathemisto, *Boeck*, 69.
 oblivia, *Kröyer*, 69, 116.
 Pardalisca, *Kröyer*, 76.
 cuspidata, *Kröyer*, 76, 117.
 Parembola litterata, *Linn.*, 196.
 radiata, *Chemn.*, 196.
 Parilimya, *Melv. & Stand.*, 202.
 Haddoni *, *Melv. & Stand.*, 202.
 Parnassius delius, 43.
 Eversmanni, 43.

- Parædiceros*, *G. O. Sars*, 72.
lynceus, *M. Sars*, 72, 117.
Parsons, *F. G.*, The Position of *Anomalurus* as indicated by its Myology, 317-334.
Passeres, 248.
Pecten, 433.
aduncus, *Eichw.*, mentioned, 442.
benedictus, *Lam.*, 434, 435.
Besseri, *Andrejowski*, 444.
Beudanti, *Basterot*, 441, 451.
blandus, *Reeve*, 183.
Burdigalensis, *Lam.*, 431, 435, 443.
convexocostatus, *Abich*, 432, 435, 436, 442.
crassicostatus, *Sow.*, 183.
Crouchi, *Smith*, 183.
disciformis, *Schübler*, 437, 439.
flabelliformis, *Brocchi*, 434, 435; mentioned, 444.
gloria-maris, *Dubois*, mentioned, 445.
Holgeri, *Geinitz*, 437.
lemniscatus, *Reeve*, 183.
lentiginosus, *Reeve*, 183.
limatula, *Reeve*, 183.
lychnulus, *Fontannes*, 436.
madreporarum, *Petit*, 183.
Malvinæ, *Abich*, 444, 445.
Malvinæ, *Dubois*, 437.
maximus, *Linn.*, 435.
multiradiatus, *Lam.*, mentioned, 443.
opercularis, *Linn.*, mentioned, 445.
pallium, *Linn.*, 183.
placenta, *Fuchs*, mentioned, 443.
planicostatus, *Abich*, 435.
pusio, *Linn.*, mentioned, 445.
rugosus, *Lam.*, mentioned, 443.
senatorius, *Gmel.*, 183.
simplex, *Michelotti*, 434, 435, 437.
subopercularis, *Abich*, 437.
suburmiensis, *Abich*, 431, 432, 436, 442.
Tournali, *Serres*, 437.
variis, *Linn.*, 435.
(Æquipecten) *Malvinæ*, *Dubois de Montpèreux*, 444.
(Amussiopecten) *Burdigalensis*, *Lam.*, 443.
(—) *Burdigalensis*, *R. B. Newton*, 443.
(Chlamys) *cuneatus*, *Reeve*, 183.
(Flabellipecten) sp., 431, 444.
(Oopecten) *rotundatus*, *Lam.*, 443, 451.
(Pseudamussium) *argenteus*, *Reeve*, 183.
Pectinidæ, 183.
Pectunculus, mentioned, 187.
Pectunculus *Hoylei* *, *Melv. & Stand.*, 187, 206.
vitreus, *Lam.*, 187.
Pedetes, 332, 333, 334.
Pedicularis *comosa*, 42.
foliosa, 42.
verticillata, 42.
Pelagia, mentioned, 303.
Pelecypoda, 181.
Peleronta *funiculata*, *Reeve*, 174.
plicata, *Linn.*, 174.
Pelobates *fuscus*, *Laur.*, 381.
Pelodytes *punctatus*, mentioned, 459.
Pentatoma, 367.
baccarum (?), 367, 416.
Perdix *barbata*, *Pallas*, 38.
Perisphinctes, 437.
balinensis, *Neumayr*, 438.
curvicosta, *Oppel*, 419, 437, 438.
cyrus, *Borne*, 438.
Lothari, *Oppel*, 438.
paneaticus, *Noetling*, 438.
poculum, *Leckenby*, 438.
polyplocus, *Reinecke*, 437, 438.
 sp., 438.
tetrameres, *Weithofer*, 438.
Xerxes, *Borne*, 438.
Perissodactyla, 377.
Peristeridæ, 215.
Perna *attenuata*, *Reeve*, 184.
australis, *Reeve*, 184.
lentiginosa, *Reeve*, 184.
Persicula *ovulum*, *Sow.*, 157.
Petalopus *declivis*, *G. O. Sars*, 65.
Petalosarsia, *Stebbing*, 65.
declivis, *G. O. Sars*, 65, 116.
Petromyzon, 551.
Planeri, fnote 551.
Stonti, fnote 551.
Petromyzontidæ, 551, 552.
Phacus, mentioned, 469.
pyriforme, mentioned, 480.
Phalacrocorax *carbo*, mentioned, 207.
Phalænæ of Lake Urmi (*Sir F. G. Hampson*), 411-414.
Phapidæ, 215.
Phascolarctus, gastric gland of, 2, 7-8.
Phascolomys, gastric gland in, 1, 5-7.
Phasianella (*Orthomesus*) *nivosa*, *Reeve*, 175.
Phasianus, 248.
Phenacolepas, *Pilsbry*, mentioned, 179.
lingua-viverræ *, *Melv. & Stand.*, 179, 206.
Philomedes, *Lilljeb.*, 89.
brenda, *Baird*, 89, 117.
Phlogœnas, 213, 227.
cruentata, 215, 220.
luzonica, 215.
Phenicophaës, 251.
Phænicopteres, 247.

- Pholadomya*, *Sow.*, 202, mentioned, 153, 203.
candida, *Sow.*, mentioned, 203, 204.
caspica, *Agass.*, mentioned, 203.
Haddoni, *Meek*, mentioned, 205, 206.
Loveni, *Jeffer.*, mentioned, 204, 205.
Richardsii, mentioned, 205.
(Parilimyia) Haddoni *, *Melv. & Stand.*, 202.
Pholadomyidae, 202.
Pholas, mentioned, 204.
costata, *Linn.*, mentioned, 204.
Pholcidae, 16, 20.
Pholcus americanus, *Nic.*, 16, 20.
Phos scalaroides, *A. Ad.*, 159.
Phosinella clathrata, *A. Ad.*, 171.
Photis, *Kröyer*, 80.
tenuicornis, *G. O. Sars*, 80, 117.
Phrynocephalus, 370.
helioscopus, *Pall.*, 378.
persicus, 378.
 —, var. *Horvathi*, *L. v. Méhely*, 378.
Phryxotrichus roseus (Walck.)?, 15, 16.
Phyllangia alveolaris, *Catullo*, 436.
grandis, *Reuss*, 436.
Phyllocœnia, 429.
Archiaci, *Milne-Edw. & Haime*, 428, 434, 435.
irradians, *Milne-Edw. & Haime*, mentioned, 429.
Phyllopoda, 395.
Pici, 248.
Pickard-Cambridge, F. O., On some Spiders from Chili and Peru collected by Dr. Plate of Berlin, 15–22.
Pierinæ, 410.
Pigeon, wing of, 243.
Pigeons, 248.
 Anatomical Reasons for the supposition that Eutaxic Pigeons are not Primitive, 215.
 Systematic Position of the Eutaxic Pigeons, 214.
Pinna fumata, *Hanley*, 184.
(Atrina) nigra, *Chemn.*, 184.
Pinus Cembra, 38, 44.
sylvestris, 43, 45.
Pipa, 454–462.
Pitar, *Römer*, mentioned, 194.
regularis, *Smith*, 194.
Pitta, 248.
Placuna lobata, *Sow.*, 181.
Placunanomia (Monia) ione, *Gray*, 181.
Plagusia, mentioned, 543.
Planaxidae, 169.
Planaxis sulcatus, *Born*, 169.
(Quoyia) decollatus, *Quoy*, 169.
Planorbis marginatus, *Draparnaud*, 393.
Pleopodophora, ftnote 339.
Pleurocantha spinosissimum, *G. O. Sars*, 67.
Pleurogonium, *G. O. Sars*, 67; mentioned, 113.
inermis, *G. O. Sars*, 67; mentioned, 68, 116.
spinosissimum, *G. O. Sars*, 67, 116.
Pleuromya arata, *Brauns*, 439.
sp., 437.
urmiensis, *Borne*, 439.
Pleuronectes limanda, mentioned, 95.
Pleurotomaria sp., 439.
Plicatula australis, *Lam.*, 181.
imbricata, *Mke.*, 182.
Pliocene Mammalia of the Bone-Beds of Maragha (R. T. Günther), 376–378.
Pocock, R. I., Chilopoda and Arachnida of Lake Urmi, 399–406.
Podascon, *Giard & Bonnier*, 68.
Stebbingi, *Giard & Bonnier*, 68, 116.
Podocopa, 61, 82.
Podophthalma, 61.
Pœcilotoma, 61.
Polemonium pulchellum, 42.
Polycope, *G. O. Sars*, 89.
orbicularis, *G. O. Sars*, 89, 117.
Polyplacophora, 180.
Polystomella quaterpunctata, *Abich*, 435.
Polytrema spongiosa, *d'Orb.*, mentioned, 434.
spongiosa, *Phil.*, 435.
Pontocypris, *G. O. Sars*, 83; mentioned, 84.
hyperborea *, *T. Scott*, 83, 117.
Porastræa, 141.
Porites, On the Structure of, with Preliminary Notes on the Soft Parts, by Henry M. Bernard, 487–502.
Porites, 143, 146–149, 429, 430.
astræoides, *Lam.*, 147, 492, 500.
clavaria, *Lesueur (non Lam.)*, mentioned, 501.
crassa, *Quelch*, 491.
dendroidea, *Abich*, mentioned, 434.
exilis, *Gardiner*, 503.
furcata, *Agass.*, mentioned, 501.
latistellata, *Quelch*, 491.
leiophylla, *Reuss*, 430, 435.
levis, *Dana*, mentioned, 501.
mirabilis, *Quelch*, 491.
polymorpha, *Abich*, ftnote 429, 435, 436.
punctata, *Ehrenb.*, 497.
recta, *Lesueur*, mentioned, 499, 501.
recta (?) from Jamaica, 499.

- Poritidæ, Recent, and the Position of the Family in the Madreporarian System, by Henry M. Bernard, 127-149.
 Poritidæ, mentioned, 489.
 Poritinæ, 143.
 Potamides (Terebralia) sulcatus, *Born*, 169.
 (Tympanotonus) palustris, *Linn.*, 169.
 (—) retiferus, *Sow.*, 169.
 Potamilla, 259.
 Priacanthus, footnote 525, 536.
 arenatus, *Cuv. & Val.*, 525.
 cruentatus, *Cuv. & Val.*, 525.
 macrophthalmus, *Cuv. & Val.*, 525.
 Primula nivalis, *Pall.*, 42.
 Parryi, *A. Gray*, 42.
 Prionastræa irregularis, *Defrance*, 428.
 Proboscidea, 377.
 Procardia, mentioned, 204.
 Prostrepicerus (?) sp., 377.
 Protaræa, 143.
 Protochordata, 257.
 Protoryx Gaudryi, *Maj.*, 377.
 longiceps, *Maj.*, 377.
 Psammobia rasilis *, *Melv. & Stand.*, 197, 206.
 (Gari) anomala, *Desh.*, 198.
 (—) marmorea, *Desh.*, 198.
 (—) ornata, *Desh.*, 198.
 (—) præstans, *Desh.*, 198.
 (—) pulcherrima, *Desh.*, 198.
 Psammobiidæ, 197.
 Psammocora, *Dana*, 145, 147.
 Pseudalibrotus, *Della Valle*, 70.
 littoralis, *Krøyer*, 70, 116.
 Pseudamussium argenteus, *Reeve*, 183.
 Pseudocalanus, *Boeck*, 91.
 elongatus, *Boeck*, 91.
 Pseudocythere, *G. O. Sars*, 88.
 caudata, *G. O. Sars*, 88, 117.
 Pseudophycis bacchus, 525, 528, 529; air-bladders and auditory organ in, 529.
 Pseudotanais, *G. O. Sars*, 66.
 forcipatus, *Lilljeb.*, 66, 116.
 Psittaci, 247, 250.
 Psophia, 234, 248, 251, 253, 254.
 Psychidæ, 413.
 Ptarmigan, 38.
 Pterocera (Heptadactylus) lambis, *Linn.*, 166.
 Pterocletes, 247.
 Pteronotus, mentioned, 162.
 acanthopterus, *Lam.*, mentioned, 162.
 eurypteron, *Reeve*, 162.
 saibaiensis *, *Melv. & Stand.*, 161.
 triformis, *Reeve*, mentioned, 162.
 Pteropoda, 154.
 Ptychoptera paludosa, larvæ of, 356.
 Pupa granum, *Draparnaud*, 393.
 signata, *Mousson*, 393.
 Purpura alveolata, *Reeve*, 162.
 persica, *Linn.*, 162.
 (Cronia) amygdala, *Kiener*, 163.
 (Stramonita) rustica, *Lam.*, 163.
 (Thalessa) hippocastanus, *Lam.*, 162.
 Pusio dichroa, *Ad. & Reeve*, 158.
 luculenta, *Reeve*, 158.
 Pycraft, W. P., Note on the External Nares in the Cormorant, 207-209.
 —, Some Facts concerning the so-called "Aquintocubitalism" in the Bird's Wing, 236-256.
 Pygmæa fulgurans, *Lam.*, 160.
 —, *a.* eufulgurans, 160.
 —, *β.* punctata, *Lam.*, 160.
 Tyleri, *Gray*, 161.
 versicolor, *Sow.*, 161.
 Pygopodes, 247.
 Pyralidæ, 413.
 Pyralis farinalis, *Linn.*, 414.
 Pyrameis cardui, *Linn.*, 408.
 Pyramidellidæ, 173.
 Pyrausta aurata, *Scop.*, 414.
 cespitalis, *Schiffermüller*, 414.
 Pyrethrum pulchellum, 42.
 Pyrgodera cristata, *F. de W.*, 417.
 Pyrgomorpha grylloides, *Latr.*, 417.
 —, var. nov. *Guentheri* *, *Burr*, 417.
 Pyrgomorphidæ, 417.
 Pyrula cingulata (*Bronn MS.*), *Hörnès*, 432, 449, 450, 452.
 clathrata, *Lam.*, 449.
 condita, *Bronn*, 449.
 Quail, 38.
 "Quintocubitalism," On so-called, in the Wing of Birds; with special reference to the Columbæ, and Notes on Anatomy, by P. Chalmers Mitchell, 210-236.
 Quoyia decollatus, *Quoy*, 169.
 Radius Angasi, *A. Ad.*, 164.
 Raeta Grayi, *H. Adams*, 199.
 Rajidæ, 52.
 Ralli, 247.
 Rallus, 250.
 Rana Camerani, *Bouleng.*, 381.
 esculenta, *Linn.*, 380.
 —, var. *ridibunda*, *Pall.*, 380.
 Red Deer, 29.
 Reindeer, 37.
 Reineckia sp., 439.
 Straussi, *Weithofer*, 439.

- Reptilia and Amphibia of Lake Urmi, by G. A. Boulenger, 378-381.
- Rhabdite - "cells" in Cephalodiscus dodecalophus, *McIntosh*, On the Discovery and Development of, by F. J. Cole, 256-268.
- Rhabdopleura, 258.
- Rhachotropis; *S. Smith*, 76, 77.
 aculeata, *Lepechin*, 76, 117.
- Rhea, wing of, 251.
- Rheum Rhaponticum, 43.
- Rhina, 48, 49.
- Rhinoceros sp., 377.
- Rhinocerotidæ, 377.
- Rhinochetus, 234, 248, 254.
- Rhinolophus hipposideros, *Bechst.*, 370.
- Rhipicephalus sanguineus, *Latr.*, 370, 407.
 simus, *C. L. Koch*, 370, 407.
- Rhizoconus read Rhizoconus, 156.
- Rhizoconus mustelinus, *Hwass*, 156.
 vitulinus, *Hwass*, 156.
- Rhizothrix curvata, *Brady & Roberts.*, 104.
- Rhodactis, mentioned, 280, 295, 308.
 Sancti-Thomæ, mentioned, 293, 309.
- Rhodaræa, 143, 144, 149.
- Rhodeus, 382.
- Rhodostrophia calabraria, *Zeller*, 413.
 inconspicua, *Butler*, 413.
- Ridewood, W. G., Some observations on the Caudal Diplospondyly of Sharks, 46-59.
- , On the Hyobranchial Skeleton and Larynx of the new Aglossal Toad, *Hymenochirus Boettgeri*, 454-460.
- , Note on the Carpus of the new Aglossal Toad, *Hymenochirus Boettgeri*, 461-463.
- Rimula exquisita, *A. Ad.*, 179.
- Rissoidæ, 171.
- Rissoina scolopax, *Sow.*, 171.
 thaumasias, *Melv. & Stand.*, 171.
 triangularis, *Wats.*, 171.
 (Moerchiella) spirata, *Sow.*, 171.
 (—) —, var. artensis, *Montr.*, 171.
 (—) —, var. deformis, *Sow.*, 171.
 (Phosinella) clathrata, *A. Ad.*, 171.
- Robertsonia, *Brady*, 96.
 tenuis, *Brady & Roberts.*, 96, 118.
- Rodentia, stomach in, 2.
- Roe, 37.
- Rotifers, eyes of, 477.
- Rozinante, *Stebbing*, 77.
- Rozinante fragilis, *Goës*, 77, 117.
- Rubrius, *E. Simon*, 21.
 annulatus*, *Pickard-Cambridge*, 16, 20.
 subfasciatus, *Sim.*, 21.
- Rugosa, 302.
- Sabella, 259.
- Samotherium Boissieri, *Maj.*, 377.
- Sarcinula astroites, *Goldf.*, mentioned, 428.
- Sargus, 534-537.
 Rondeletii, *Cuv. & Val.*, 525.
- Saturnia pyri, *Schiffermüller*, 412.
- Saturniadae, 412.
- Satyrinae, 408.
- Satyrus lupinus, *Costa*, 408.
 pelopea, *Klug*, 408.
 turanica, *Stgr.*, 408.
- Saxifraga oppositifolia, 42.
 umbrosa, 43.
- Scalaria lyra, *Sow.*, 172.
 obliqua, *Sow.*, 172.
 subauriculata, *Sow.*, 172.
- Scalariidæ, 172.
- Scaliola elata, *Semper*, 173.
- Scaphandridæ, 155.
- Scaphella Turneri, *Gray*, 157.
- Scaphiodon gracilis, *Keyserl.*, 383.
 Sieboldii, *Steind.*, 383, 385.
- Scaphopoda, 181.
- Schizochiton incisus, *Sow.*, 181.
- Schizopoda, 61, 64.
 —, On some New Zealand, by *George M. Thomson*, 482-486.
- Schizothorax, mentioned, 386.
- Scianidæ, 524.
- Seincus cyprius, *Cuv.*, 379.
- Scintilla Alberti, *Smith*, 189.
 hyalina, *Desh.*, 189.
- Seiuromorpha, 320, 331, 334.
- Sclerochilus, *G. O. Sars*, 88.
 contortus, *Norm.*, 88, 117.
- Scleroerangon boreas, *Phipps*, 64, 116.
- Scolopendra, *Linn.*, 400.
 affinis, *Newp.*, 400.
 canidens, *Newp.*, 400.
 dalmatica, *Koch*, 400.
 oraniensis, *Lucas*, 400.
- Scomber scombrus, *Linn.*, mentioned, 542.
- Scomberidæ, 522.
- Scoparia cembra, *Haworth*, 414.
- Scopus, 250.
- Scorpaena, mentioned, 547.
- Scorpaenidæ, 542.
- Scorpiones, 404.
- Scoter Duck, 38.
- Scott, Thos., Report on the Marine and Freshwater Crustacea from Frai.z-

- Josef Land, collected by Mr. William S. Bruce, of the Jackson-Harmsworth Expedition, 60-126.
- Scrobiculariidae, 201.
- Scutella gibbosa, *Risso*, ftnote 421.
- Scutellidium, *Claus*, 113.
 tisboides, *Claus*, 113, 118.
- Scutellina, *Gray*, mentioned, 179.
- Scutigera, *Latr.*, 399.
 coleoptrata, *Linn.*, 399.
- Scutus unguis, *Linn.*, 179.
- Seyllium, 47, 48, 49, 55.
 canicula, 47.
 catulus, 47, 49.
 stellare, 47.
- Seymnus, 48, 49, 54.
 lichia, 47, 48.
- Seyphistome, mentioned, 301.
- Scyphomedusæ, mentioned, 301.
- Scyphostoma, mentioned, 301.
- Scyphozoa, larva of, 301.
- Scytodidæ, 15, 16.
- Selachii, 550.
- Semele duplicata, *Sow.*, 201.
 Jukesi, *A. Ad.*, 201.
 lamellosa, *Sow.*, 201.
- Semicassis torquata, *Reeve*, 164.
- Semifusus (Megalatractus) proboscidi-ferus, *Lam.*, 158.
- Senectus argyrostomus, *Linn.*, 175.
 chrysostrum, *Linn.*, 175.
 foliaceus, *Phil.*, 175.
 sparverius, *Gmel.*, 175.
- Separatista Blainvilleana, *Petit*, 169.
- Septifer nicobaricus, *Chemn.*, 184.
- Seraphs terebellum, *Linn.*, 166.
- Seriema, 248.
- Serpula, mentioned, 433.
 sp., 439.
- Sharks, Some observations on the Caudal Diplospondyly of, by W. G. Ridewood, 46-59.
- Sheep, Wild, of the Urmi Islands, by Dr. A. Günther, 374-376.
- Sicarius thomisoides, *Walck.*, 15, 16.
- Siliquaria Cumingii, *Mörch*, 170.
 ponderosa, *Mörch*, 170.
- Siluridæ, 526.
- Siluroids, 522.
- Silurus, 382, 383.
 Chantrei, 383.
 glanis, *Linn.*, 364, 365, 382, 383, 519.
 triostegus, *Heckel*, 383.
- Simpulum gemmatus, *Reeve*, 163.
 pilearis, *Linn.*, 163.
- Siphonaria siphon, *Sow.*, 154.
- Siphonariidæ, 154.
- Siphonium maximus, *Sow.*, 169.
- Siphonostoma, 61.
 iriella, *Dana*, 482.
- Siriella denticulata, *G. M. Thomson*, 482; mentioned, 486.
 gracilis, *Dana*, 482, 483.
 Thompsoni, *Milne-Edw.*, 482, 483.
- Sistrum arachnoides, *Lam.*, 163.
 cavernosum, *Reeve*, 163.
 chrysostrum, *Desh.*, 163.
 concatenatum, *Lam.*, 163.
 elatum, *Blainv.*, 163.
 fiscellum, *Chemn.*, 163.
 heptagonale, *Reeve*, 163.
 margariticolum, *Brod.*, 163.
 ochrostoma, *Blainv.*, 163.
- Smerinthus populi, *Linn.*, 412.
- Smith, Edgar A., Land and Freshwater Mollusca of Lake Urmi, 391-393.
- Solea, mentioned, 544, 545.
- Solenastræa astroites, *Goldf.*, 436; mentioned, 428.
 columnaris, *Reuss*, 428.
 turonensis, *Michelin*, 427; mentioned, 428.
- Solenidæ, 198.
- Solenocurtus (Azar) coarctatus, *Gmel.* 198.
- Soletellina virescens, *Desh.*, 198.
- Solifugæ, 402.
- Sparassus bombilius *, *Pickard-Cambridge*, 15, 17.
- Sparidæ, 522, 523, 524.
- Sparus, 528, 529, 531-536.
 salpa, *Linn.*, 523, 525.
 sargus, *Linn.*, 525.
- Sphærium lacustre, *Müller*, 393.
- Sphingidæ, 412.
- Sphingonotus satrapes, *Sauss.*?, 417.
- Spiders from Chili and Peru, On some, by F. O. Pickard-Cambridge, 15-22.
- Spinax niger, 47.
- Spinigera, sp., 439.
- Spirontocaris Gaimardii, *Milne-Edw.*, 63, 116.
 Phippsii, *Kröyer*, 63, 116.
 polaris, *Sabine*, 63, 116.
- Spirostomum, mentioned, 500.
- Spondylidæ, 181.
- Spondylus barbatus, *Reeve*, 182.
 bifrons, *Goldf.*, 434, 435.
 foliaceus, *Chemn.*, 182.
 nicobaricus, *Chemn.*, 182.
 ocellatus, *Reeve*, 182.
 pacificus, *Reeve*, 182.
- Squalius turcicus, *Filippi*, mentioned, 387.
- Standen, Robert, and James Cosmo Melville, Report on the Marine Mollusca obtained during the First Expedition of Prof. A. O. Haddon to the Torres Straits, in 1888-89, 150-206.

- Starnoceras*, 213.
 cyanocephala, 213, 215, 226, 236.
Steganopodes, 247.
Stellio caucasicus, 370.
Stenhelia, *Boeck*, 97.
 reflexa, *T. Scott*, 97, 118.
Stephanoceras stenostoma, *Borne*, 438.
Stomatella Mariei, *Cr.*, 178.
 sulcifera, *Lam.*, 178.
Stomatiidæ, 178.
Stramonita rustica, *Lam.*, 163.
Strephona episcopalis, *Lam.*, 157.
Strigatella decurtata, *Reeve*, 158.
Striges, 248.
Stringops, 251.
Strombidæ, 165.
Strombus, 431.
 Bonelli, *Brong.*, 431, 448, 449.
 (*Canarium*) *dentatus*, *Linn.*, 165.
 (*Conomurex*) *luhuanus*, *Linn.*, 166.
 (*Gallinula*) *Campbelli*, *Gray*, 165.
 (—) *canarium*, *Linn.*, 165.
 (—) *Isabella*, *Lam.*, 165.
 (—) *Sibbaldi*, *Sow.*, 165.
 (—) *urceus*, *Linn.*, 165.
 (—) *variabilis*, *Swains.*, 165.
 (—) *vittatus*, *Linn.*, 165.
 (*Monodactylus*) *Lamarcki*, *Gray*, 165.
 (—) *melanostomus*, *Swains.*, 165.
Stylaræa, *Milne-Edw. & Haime*, 497.
 Mülleri, *Milne-Edw.*, 497.
 punctata, *Klunzinger*, mentioned, 497.
Stylochus, 266.
Subula muscaria, *Lam.*, 155.
Suidæ, 377.
Sun-bittern, 248.
Sus erymanthius, *Roth. et Wagn.*, 377.
Synaræa, *Verrill*, mentioned, 143, 144, 149, 487, 490, 491.
 crassa, *Quelch*, 491.
 latistellata, *Quelch*, 491.
Synchloë daplidice, *Linn.*, 410.
Syncoryne, 258.
Syntomidæ, 411.
Syntomis persica, *Koll.*, 411.
 Syrian Names of Animals living in the Urmi Basin, 371-374.
Syrnium aluco, wing of, 243.
Syrrhoë, *Goës*, 75.
 crenulata, *Goës*, 75, 76, 117.
Tæniolatæ, 301.
Tanais forcipatus, *Lilljeb.*, 66.
Tanais longiremis, *Lilljeb.*, 66.
Tapes Deshayesii, *Hanley*, 196.
 malabarica, *Sow.*, 196.
 (*Parembola*) *litterata*, *Linn.*, 196.
 (—) *radiata*, *Chemn.*, 196.
 (*Textrix*) *sulcosa*, *Phil.*, 196.
 (—) *textrix*, *Chemn.*, 196.
Tarache luctuosa, *Schifferrmüller*, 412.
 sulphuralis, *Linn.*, 412.
Tectarius malaccanus, *Phil.*, 170.
Tectus fenestratus, *Gmel.*, 175.
Teinostoma, *Ad.*, mentioned, 178.
Teinotis asinina, *Linn.*, 179.
Teleostean Fishes, 526.
Teleostei, On the Presence of Nasal Secretory Sacs and a Naso-pharyngeal Communication in, with especial reference to *Cynoglossus semilævis*, *Günther*, by H. M. Kyle, 541-555.
Telestes leucoides, *Filippi*, mentioned, 389.
*Tellimya ephippiolum**, *Melv. & Stand.*, 189, 206.
 triangularis, *Gould*, 189.
Tellina (Angulus) philippinarum, *Hanley*, 201.
 (—) *procrita**, *Melv. & Stand.*, 201, 206.
 (—) *vernalis*, *Hanley*, 201.
 (*Arcopagia*) *pinguis*, *Hanley*, 201.
 (—) *Savignyi*, *A. Ad.*, 201.
 (—) *tessellata*, *Desh.*, 201.
 (*Donacilla*) *rhomboides*, *Gmel.*, 201.
 (—) *semitorta*, *Sow.*, 201.
 (—) *virgulata*, *Hanley*, 201.
 (*Tellinella*) *asperrima*, *Hanley*, 200.
 (—) *iridescens*, *Bens.*, 200.
 (—) *staurella*, *Lam.*, 200.
 (—) *virgata*, *Linn.*, 200.
 (—) *vulsella*, *Chemn.*, 201.
 (*Tellinides*) *emarginata*, *Sow.*, 201.
Tellinella asperrima, *Hanley*, 200.
 iridescens, *Bens.*, 200.
 staurella, *Lam.*, 200.
 virgata, *Linn.*, 200.
 vulsella, *Chemn.*, 201.
Tellinidæ, 200.
Tellinides emarginata, *Sow.*, 201.
Telphusa fluviatilis, 366, 374.
Tenagomysis, *G. M. Thomson**, 483.
 novæ-zealandiæ, *G. M. Thomson**, 484; mentioned, 486.
Terebellum subulatum, *Linn.*, mentioned, 151.
Terebra (Abretia) affinis, *Gray*, 155.
 (*Myurella*) *subulata*, *Linn.*, 155.
 (*Subula*) *muscaria*, *Lam.*, 155.

- Terebralia sulcatus*, *Born*, 169.
 Terebridaë, 155.
 Teredinidaë, 199.
Teredo nucivora, *Speng.*, 199.
Testudo ibera, mentioned, 363, 407.
 Tetracorallia, 302.
Tetragnatha, *Latr.*, 400.
 extensa, *Linn.*, 400.
Tetraogallus altaicus, 38.
 urogalloides, 38.
Teutana grossa, *C. Koch*, 15, 16, 20.
Textile canonicus, *Hwass*, 156.
 sulcosa, *Phil.*, 196.
 textrix, *Chemn.*, 196.
Thais Cerisyi, *Godart*, 410.
Thalessa hippocastanum, *Lam.*, 162.
Thalestris, *Claus*, 106; mentioned, 110.
 forficula, *Claus*, 108, 118.
 forficuloides, *T. & A. Scott*, mentioned, 108.
 frigida *, *T. Scott*, 108, 118.
 helgolandica, *Claus*, 106, 118.
 hibernica, *Brady & Roberts.*, mentioned, 107, 108.
 Jacksoni *, *T. Scott*, 109; mentioned, 110, 118.
 mysis, *Claus*, mentioned, 107, 109, 110.
 polaris *, *T. Scott*, 106.
 rufoviolascens, mentioned, 110.
Thamnaræa, *Thurm. & Etallon*, mentioned, 429.
 polymorpha, *Abich*, 424, 429, 430.
Thelicosstyla albicilla, *Linn.*, 174.
Theraphosidaë, 15, 16, 17.
Theridiidaë, 16, 20.
Theridion grossum, *C. Koch*, 20.
 tepidariorum, *C. Koch*, 16, 20.
Thomisoides terrosa, *Nic.*, 16.
Thomson, George M., On some New Zealand Schizopoda, 482-486.
Thoracica, 61.
Thorellia, *Boeck*, 93.
 brunnea, *Boeck*, 93, 117.
Thylacodes novæ-hollandiæ, *Rouss.*, 170.
Thyrostraca, 60, 61.
Thysanoessa, *Brandt*, 64.
 neglecta, *Kröyer*, 64, 116.
Thysanopoda neglecta, *Kröyer*, 64.
Tichopora, *Quelch*, 143, 144, 149.
Tinamus, 24C.
Tineidaë, 414.
Tmeticus Defoei *, *Pickard-Cambridge*, 16, 19.
 Platei *, *Pickard-Cambridge*, 16, 19.
Toad, *Aglossal*, 454-462.
Tonica confossa, *Gould*, 180.
 fortilirata, *Reeve*?, 180.
Tornatina gracilis, *A. Ad.*, 155.
Tornatinidaë, 155.
Torres Straits, Report on the Marine Mollusca obtained during the First Expedition of Prof. A. C. Haddon to the, in 1888-89, by Jas. Cosmo Melvill and Robert Standen, 150-206.
Trachycardium dianthinum *, *Melv. & Stand.*, 190, 206.
 elongatum, *Brug.*, 190.
 lacunosum, *Reeve*, 190.
 maculosum, *Wood*, 191.
 rubicundum, *Reeve*, 191.
 rugosum, *Lam.*, 191.
 serricostatum *, *Melv. & Stand.*, 191, 206.
 transcendens *, *Melv. & Stand.*, 191, 206.
 variegatum, *Sow.*, 192.
Tragoceros amalthæus, *Gaudr.*, 377.
Treronidaë, 215.
Triacanthus, *Stannius*, apparently a misprint for *Priacanthus*, ftnote 525.
Trichotropididaë, 169.
Tridacna elongata, *Lam.*, 189.
 serrifera, *Lam.*, 190.
 squamosa, *Lam.*, 190.
Tridacnidaë, 189.
Triforis, mentioned, 166.
 gigas, *Hinds*, 166.
 (Ino) excelsior *, *Melv. & Stand.*, 166, 206.
Trigonia Roxanaë, *Borne*, 439.
 sp., 439.
 uniophora, *Gray*, 188.
Trigoniidaë, 188.
Tripoblastica, 306.
Tritonidaë, 163.
Tritropis, 77.
 "Trituratorsorgan," 3.
Trivia oryza, *Lam.*, 165.
 staphylæa, *Linn.*, 165.
Trochidaë, 175.
Trochosa, 22.
Trochus (Lamprostoma) maculatus, *Linn.*, 175.
 (Tectus) fenestratus, *Gmel.*, 175.
Trogones, 248.
Trombidiidaë, 407.
Trombidium sericeum, 407.
 sericum locustarum, *Riley*, 407.
Tropidonotus anoscopus, 380.
 cyclopium, 380.
 ferox, 380.
 tessellatus, *Laur.*, 380.
Trumpeter, 248.
Truxalidaë, 417.
Truxalis unguiculata, *Ramb.*, 417.
Tubinares, 247.
Turacus, 251.
Turbinaria, ftnote 130, 148, 495, 496, 499.

- Turbinellidæ, 158.
 Turbinidæ, 175.
 Turbo marmoratus, *Linn.*, 175.
 petholatus, *Linn.*, 175.
 (*Senectus*) argyrostomus, *Linn.*, 175.
 (——) chrysostomus, *Linn.*, 175.
 (——) foliaceus, *Phil.*, 175.
 (——) sparverius, *Gmel.*, 175.
 Turnices, 248.
 Turricula corrugata, *Lam.*, 158.
 Turritella Archimedis, *Brong.*, mentioned, 360, 431, 437, 450, 452.
 gradata, *Menke*, mentioned, 360, 437.
 ——, *Hörnes*, 451, 452.
 ——, var., *Abich*, 431, 451, 452.
 leptomita, *Melv. & Sykes*, mentioned, 172.
 margarita, *Abich*, 437.
 multilirata, *Ad. & Reeve*, 170.
 rotifera, *Desh.*, 431, 437, 451, 452.
 turris, *d'Orb.*, mentioned, 360, 431, 437.
 Turritellidæ, 170.
 Turtur, 226.
 chinensis, mentioned, 211, 236.
 Tympanotonus palustris, *Linn.*, 169.
 retiferus, *Sow.*, 169.
 Typhlotanais, *G. O. Sars*, 65.
 finmarchicus, *G. O. Sars*, 65, 116.
 Tyrannus, 248.

 Ulochæna hirta, *Hübner*, 412.
 Umbonium vestiariæ, *Linn.*, 175.
 Ungulinidæ, 197.
 Unio batavus, 393.
 Sievers, *Drouet*, 393.
 ——, var. *Kobelti*, 393.

 Valvulina bulloides, *Brady*, mentioned, 452.
 Vanellus cristatus, 255.
 ——, wing of, 242.
 Vanikoridæ, 171.
 Vanikoro, *Quoy*, mentioned, 153, 174.
 cancellata, *Lam.*, 171.
 Gueriniana, *Récluz*, mentioned, 174.
 Veneridæ, 193.
 Venus Aglauræ, *Brong.*, 432, 436, 446, 447, 448, 452.
 Aglauræ, *Hörnes*, 446.
 granosa, *J. de C. Sowerb.*, mentioned, 447.
 incrassata, *J. Sowerb.*, 447.

 Venusta lactea, *Linn.*, 185.
 Vermetidæ, 169.
 Vertagus aluco, *Linn.*, 167.
 lineatum, *Lam.*, 167.
 pulchrum, *A. Ad.*, 168.
 Sowerbyi, *Kiener*, 168.
 vertagus, *Linn.*, 168.
 (*Bivonia*) *Quoyi*, *H. & A. Ad.*, 170.
 (*Siphonium*) maximus, *Sow.*, 169.
 (*Thylacodes*) novæ-hollandiæ, *Reuter*, 170.
 Vertebrates, air-breathing, 547.
 Viatrix globulifera, *Duchass.*, mentioned, 270.
 Voluta niyosa, *Linn.*, mentioned, 157.
 Norrisi, *Gray*, mentioned, 157.
 piperita, *Sow.*, mentioned, 157.
 Sophia, mentioned, 152.
 (*Aulica*) *Ruckeri*, *Crosse*, 157.
 (——) *rutila*, *Brod.*, 157.
 (——) *Sophiæ*, *Gray*, 157.
 (*Scaphella*) *Turneri*, *Gray*, 157.
 Volutidæ, 157.
 Vulpecula intermedia, *Kiener*, 158.
 Vulsella lingulata, *Lam.*, 184.

 Wager, Harold, On the Eye-spot and Flagellum in *Euglena viridis*, 463–481.
 Water-Rail, Common, 251.
 Westwoodia, *Dana*, 111.
 nobilis, *Baird*, 111, 118.
 Wild Sheep of the Urmi Islands, by *Dr. A. Günther*, 374–376.
 Wing, embryo of, 238.
 probable origin of the *Diastataxic*, 252.
 Wolf-fish, 542.
 Wombat, Anatomy of, 1.

 Xanthia ocellaris, *Bork.*, 412.
 Xanthoptera triangularis, *Warr.*, 412.
 Xenopus, 454–462.
 Boettgeri, 454.
 Xestoleberis, *G. O. Sars*, 86.
 depressa, *G. O. Sars*, 86, 117.

 Yponomeuta padellus, *Linn.*, 367, 416.

 Zaus, *Goodsir*, 112.
 spinatus, *Goodsir*, 112, 118.
 Zebrinus Hohenackeri, *Krynicky*, 392.

Zoantharia, mentioned, 280, 301.
 larva of, 309, 310.
 Zoanthidæ, 296, 297.
 Zoarces, 555.
 Zoology and Botany of the Altai
 Mountains, on the, by H. J. Elwes,
 23-46.

Zosima spinulosa, Brady & Roberts.,
 97.
Zosime, Boeck, 96.
 typica, Boeck, 96, 117.
 Zygæna, 49.
 Cuvieri, *Boisd.*, 413.
 Zygenidæ, 413.

END OF THE TWENTY-SEVENTH VOLUME.